


---

## Adjustable Sliding Pocket Double Door Kit - To Suit Doors 626mm - 1500mm Wide And Up To 2700mm High

### Product Images

---



### Short Description

---


- Please note this double pocket door kit is made to order, lead times are usually 10-14 days.
- Please double check your requirements before ordering this product, **this item cannot be returned to us.**
- Our adjustable sliding double pocket door kits from are suitable for double doors between 626mm - 1500mm wide and up to 2700mm high.
- Each double pocket door kit allows you to create a set of double disappearing sliding doors.
- This unique adjustable commercial pocket door kit system can be used with both wide and tall double doors.
- Simple and quick installation.
- The sliding double pocket door kit suits doors 35mm - 44mm thick.

- Max door weight 80kg.
- Crosspieces, cassette edge covers, door brushes and seals included with all of our adjustable sliding pocket door systems.

## Description


---

- Our double adjustable sliding pocket door kits have been designed to provide an unrivalled size and design flexibility with modular kits that are available in two heights and three widths as standard.
- Our adjustable standard double pocket door kits include top fixed door brackets and poplar door linings as well as all the structural components for creating your double pocket.
- The cassette is constructed from exceptionally rigid Z profiles that interlock together to create a unit that is height adjustable. The benefit in this is that unlike other systems that only accept one exact leaf size these kits can accommodate on-site variations or changes without having to send it back and order a different kit (or having to try to modify it on site)
- The Z section is exceptionally easy to affix the plasterboard to. Included within the box are the right self drilling screws to get a good fix and ensure the screws don't penetrate too deeply and risk scratching the door face. There is also enough surface area should you wish to bond your plasterboard onto the frame.
- Quality components include Delrin covered ball bearing rollers. White powder coated anodised aluminium track. Pre punched floor channel. Pre formed door Poplar door linings. Soft brush seals. Pre cut plasterboard profiles for frameless wall openings. All of these are specifically designed and manufactured to make installation easy and gives years of trouble free performance
- Unlike most other pocket door solutions available today, these systems are adjustable in both height and width making them ideal for use with non standard door sizes including extra wide and tall doors.
- Allows an interior door to slide and disappear into "pockets" within the wall cavity.
- Each set includes all the main components needed to install a long lasting, smooth running double sliding doors including an adjustable steel cassette pocket which is used to create the wall cavity's or "pockets" for the doors to slide into.
- This high quality sliding door gear is suitable for residential and commercial applications. The unique design allows doors between 35mm-45mm thick to be installed with a finished wall of 125mm.
- Supplied as a kit to create the pocket, which can be fully fitted in under 60 minutes by a skilled installer.
- Double pocket door kit is suitable for doors up to 80kg in weight.
- Our double pocket door kit is suitable for use with timber doors only - **doors not included.**



## Supplied Complete With Timber Jamb Kit

- These double pocket door systems come supplied **complete with timber lining - jamb kits for double doors.**



## Accessories Available To Suit The Adjustable Double Pocket Door Kit



- Soft close mechanism - to dampen softly close the sliding door. - **(sold separately)**.
- Self closing mechanism - automatically pulls the door closed each time the door had been opened. - **(sold separately)**.
- Simultaneous kit - for use with double doors when one door is moved the second door moves at the same in time in synchronization (maximum individual door leaf width 1050mm).

## Features & Benefits

- Adjustable double door pocket cassette system is ideal for use with non standard door sizes.
- Double pocket door kits are available for doors 626mm - 1500mm wide.
- Kits available for doors 1900mm - 2700mm high.
- Space saving - sliding doors help create up to 8% more living more space within a property
- Easy access
- Quiet operation
- Easy installation
- Economical


## Dimensions - Frame Sizes & Door Kit Sizes Available

- The necessary wall aperture dimensions for the double pocket door kits can be derived from the calculations and elevations shown below.



| Item Code | Door Width Style | Door Height Style | Door Width (WP) | Max Door Height (HP) | Finished Wall Thickness |
|-----------|------------------|-------------------|-----------------|----------------------|-------------------------|
| 40932.1   | Standard         | Standard          | 626mm - 926mm   | 2100mm               | 125mm                   |
| 40932.2   | Intermediate     | Standard          | 926mm - 1300mm  | 2100mm               | 125mm                   |
| 40932.3   | Wide             | Standard          | 1300mm - 1500mm | 2100mm               | 125mm                   |
|           |                  |                   |                 |                      |                         |
| 40932.4   | Standard         | Tall Door         | 626mm - 926mm   | 2700mm               | 125mm                   |
| 40932.5   | Intermediate     | Tall Door         | 926mm - 1300mm  | 2700mm               | 125mm                   |
| 40932.6   | Wide             | Tall Door         | 1300mm - 1500mm | 2700mm               | 125mm                   |

- Please note plasterboard is not provided with this kit and must be purchased separately.



**To calculate studwork width and height from known door dimensions:**

- Studwork width ( $\underline{W}$ ) = 4 x Door width ( $\underline{Wp}$ ) + 64mm
- Studwork height ( $\underline{H}$ ) = Door height ( $\underline{Hp}$ ) + 85mm

**To calculate door size from known studwork dimensions:**

- Door width ( $\underline{Wp}$ ) = Studwork width ( $\underline{W}$ ) - 64mm Divided By 4
- Door height ( $\underline{Hp}$ ) = Studwork height ( $\underline{H}$ ) - 85mm

**To calculate door size from known door opening dimensions:**

- Door width ( $\underline{Wp}$ ) = Door opening width ( $\underline{Op}$ ) + 34mm Divided By 2
- Door height ( $\underline{Hp}$ ) = Door opening height ( $\underline{Oh}$ ) + 4mm

**To calculate door opening width and height from known door dimensions:**

- Door opening width ( $\underline{Op}$ ) = 2 x Door width ( $\underline{Wp}$ ) - 34mm

- Door opening height (Oh) = Door height (Hp) - 4mm

## Items Included Within The Adjustable Pocket Sliding Door Kit

- Adjustable metal cassette to create two "pockets"
- Screws to fix plasterboard to metal frame - **(Plasterboard not supplied)**
- 2 x roller bearing door hanger kits
- Timber lining kit - (door jamb kit) including brush seals and rubber bumpers.

### Products in this set



**40932.1 - Adjustable Sliding Double Pocket Door 125mm Finished Wall - Door Size - 626mm - 926mm Wide & Up To 2100mm High**



**40932.2 - Adjustable Sliding Double Pocket Door - 125mm Finished Wall - 926mm - 1300mm Wide & Up To 2100mm High**



**40932.3 - Adjustable Sliding Double Pocket Door - 125mm Finished Wall - 1300mm - 1500mm Wide & Up To 2100mm High**



**40932.4 - Adjustable Sliding Double Pocket Door - 125mm Finished Wall - 626mm - 926mm Wide & Up To 2700mm High**



**40932.5 - Adjustable Sliding Double Pocket Door - 125mm Finished Wall - 926mm - 1300mm Wide & Up To 2700mm High**



**40932.6 - Adjustable Sliding Double Pocket Door - 125mm Finished Wall - 1300mm - 1500mm Wide & Up To 2700mm High**