

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

ERA High Security British Standard BS3621 Rated - Night Latch With Ant-Thrust - Polished Brass Plated

Product Images



Description

TO SUIT MAXIMUM DOOR THICKNESS OF 54MM

- British Standard High Security Nightlatch
- Conforms to British Standard BS 3621:2004 and meets the tough criteria laid down by the insurance companies and the Police (Secure By


Design)

- Features an integral cylinder pull which protects the cylinder from being drilled
- The cylinder has over 30,000 key variations and comes with a 20mm bolt throw for greater security and strength.

Finish

Polished brass

Dimensions



AVAILABLE IN TWO SIZES	15018.1	15018.2	Dimension On Diagram
Backset	40mm	60mm	А
Case Width	70mm	90mm	В
Case Height	86mm	86mm	С
Case Depth	33mm	33mm	D
Lever Projection From Case	25.5mm	25.5mm	Е
Cylinder Height	83mm	83mm	F
Cylinder Width	50mm	50mm	G

Important Info Before You Buy

- For use on inward opening doors only
- Night latch can be dead-locked (double locked) This is done from the INSIDE by a full turn of the key
- Double locks from inside, so if some one were to break the glass in a front door or a near by window they can't unlock the night latch with out the use of the key
- Latch bolt is withdrawn by handle from inside and by turn of key from outside.
- Bolt can be held back by pushing the button on lock case, then released by turning the handle up or down
- The main lock bolt "automatically" deadlocks, when the door is closed this makes the use of a credit card to force entry virtually impossible
- Comes with three keys



15018.1 - ERA High Security British Standard Night Latch - Polished Brass Plated - 40mm Backset - Each



15018.2 - ERA High Security British Standard Night Latch - Polished Brass Plated - 60mm Backset - Each