

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

Berna Round Rose Lever Handles - Suitable For Use With FD30 / FD60 Fire Doors - Dual Satin and Polished Stainless Steel

**Product Images** 




- Round rose lever handles.
- These door handles are tested to grade 3.
- Dual satin and stainless steel finish.
- Suitable for superior residential use or commercial.
- Concealed bolt through fixings via screw on rose.
- Tested to BS EN 1906:2012 classification number 16-1034A category of use grade 3
- Suitable for use on fire rated doors tested to BS EN 1634
- Matching accessories available including standard escutcheons (keyhole covers) and a bathroom turn & release set.

### **How To Order Lever Handles With A Rose**


• For Non-Locking Doors - 1 x (Pair) Lever Handles Only




• For Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons



• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons



• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release



## **Matching Accessories**

- Standard escutcheon (key hole cover to suit regular "chubb style locks") 41089.1
- Euro profile escutcheon (key hole cover to suit euro profile cylinders) 41088.1
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors) 41107.1
- Disabled large turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors) 41108.1

#### **Base Material**

• Made from grade 304 stainless steel.

### **Finish**

• Dual satin and polished stainless steel.

# **Operation**

• Both levers are sprung to ensure the lever always returns to its starting position.

#### Size Information

- Rose Diameter 52mm
- Rose Thickness 7mm

## **Spindle Size**

• 8mm x 8mm square - UK Standard.

## **Fixings**

- Concealed bolt together fixings via male and female bolts.
- Grub screw fixing to spindle for extra strength once fitted to the door.
- Comes supplied with male and female bolt through fixings and 8mm heso fixing spindle.

## **Usage**

- Suitable for residential or commercial use.
- Suitable for internal or external use.

#### **Unit Of Sale**

- Lever handles are sold in pairs. (One pair consists of 1x left hand and 1x right hand.)
- Escutcheons (key hole covers) are sold individually (each.)
- Turn and emergency releases are sold as a set (One set consists of a rose with a thumbturn fitted to the inside of the door and a rose with a coin slot fitted to the outside of the door.)

#### **Products in this set**



41063.1 - Berna Round Rose Lever Handles Only - Tested For Use With FD30 / FD60 Fire Doors - Dual Finish Satin and Polished Stainless Steel - Pair