


G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

Door Handles With Ultra Thin Round Rose - Satin Stainless Steel With Light Brown Leather

Product Images



Short Description

- Light brown leather wrapped door handles.
- Ultra thin round rose design.
- 55mm x 3mm rose.
- Satin stainless steel lever handle.

Description


- Satin stainless steel door handles with light brown leather wrap.
- Ultra thin back plate rose, only 3mm thick.
- High architectural quality, ideal for projects where top end design and functionality are paramount.
- Made from grade 304 stainless steel, and high grade leather wrap.

How To Order Lever Handles With A Rose


• For Non-Locking Doors - 1 x (Pair) Lever Handles Only




• For Locking Doors - 1 x (Pair) Lever Handles Only + 1 x (Pair) Standard Escutcheons



• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 1 x (Pair) Euro Escutcheons



• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release



Matching Accessories

- Standard escutcheons (key hole cover to suit regular "chubb style locks") 41279.1
- Euro profile escutcheons (key hole cover to suit euro profile cylinders) 41280.1
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors) 41278.1

Base Material

• Made from grade 304 stainless steel.

Finish Details

• Satin stainless steel - (brushed finish) with light brown leather wrap.

Alternative Finishes Available

- Dark brown leather wrap
- Black leather wrap

Operation

• Both levers are sprung to ensure the lever always returns to its starting position.

Size Information

- Rose Diameter 55mm
- Rose Thickness 3mm (Ultra Thin Design)
- Lever Length 157mm

Spindle Size

• 8mm x 8mm square - UK Standard.

Fixings

- Comes supplied with male and female bolt through fixings and 8mm spindle.
- Grub screw fixing to spindle for extra strength once fitted to the door.

Usage

- Suitable for residential or commercial use.
- Suitable for internal use.

Standards This Product Conforms To

- EN 1906 European performance test standards for lever handles.
- Category of use 3 High frequency of use by public or others with little incentive to exercise with care and with a high chance of misuse.

Unit Of Sale

• Lever handles are sold in pairs. (One pair consists of 1x left hand and 1x right hand.)

Products in this set



41281.1 - Ultra Thin Round Rose Lever Handles - Satin Stainless Steel With Light Brown Leather - (Pair)