

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk

### Door Handles With Ultra Thin Round Rose - Satin Stainless Steel With Dark Brown Leather

#### **Product Images**



#### **Short Description**

- Dark brown leather wrapped door handles.
- Ultra thin round rose design.
- 55mm x 3mm rose.
- Satin stainless steel lever handle.

#### Description


- Satin stainless steel door handles with dark brown leather wrap.
- Ultra thin back plate rose, only 3mm thick.
- High architectural quality, ideal for projects where top end design and functionality are paramount.
- Made from grade 304 stainless steel, and high grade leather wrap.

## How To Order Lever Handles With A Rose


• For Non-Locking Doors - 1 x (Pair) Lever Handles Only




• For Locking Doors - 1 x (Pair) Lever Handles Only + 1 x (Pair) Standard Escutcheons



• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 1 x (Pair) Euro Escutcheons



• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release



### **Matching Accessories**

- Standard escutcheons (key hole cover to suit regular "chubb style locks") 41279.1
- Euro profile escutcheons (key hole cover to suit euro profile cylinders) 41280.1
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors) 41278.1

## **Base Material**

• Made from grade 304 stainless steel.

## **Finish Details**

• Satin stainless steel - (brushed finish) with dark brown leather wrap.

## **Alternative Finishes Available**

- Light brown leather wrap
- Black leather wrap

# Operation

• Both levers are sprung to ensure the lever always returns to its starting position.

## **Size Information**

- Rose Diameter 55mm
- Rose Thickness 3mm (Ultra Thin Design)
- Lever Length 157mm

# Spindle Size

• 8mm x 8mm square - UK Standard.

## **Fixings**

- Comes supplied with male and female bolt through fixings and 8mm spindle.
- Grub screw fixing to spindle for extra strength once fitted to the door.

## Usage

- Suitable for residential or commercial use.
- Suitable for internal use.

# **Standards This Product Conforms To**

- EN 1906 European performance test standards for lever handles.
- Category of use 3 High frequency of use by public or others with little incentive to exercise with care and with a high chance of misuse.

## **Unit Of Sale**

• Lever handles are sold in pairs. (One pair consists of 1x left hand and 1x right hand.)

### **Products in this set**

×

41282.1 - Ultra Thin Round Rose Lever Handles - Satin Stainless Steel With Dark Brown Leather - (Pair)