


Economy Bathroom Mortice Lock - CE / UKCA Marked - Fire Rated - Certifire Approved - To Suit 5mm Spindle - Polished Brass Plated

Product Images



Description

- Economy mortice bathroom lock, polished brass plated finish.
- Privacy lock for use on bathroom doors, toilets and WC doors.
- For use on doors that require door handles and need to be locked via a thumb-turn and release system.
- Must be used in conjunction with some form of door handle.
- Comes supplied with a brass plated (shiny finish) forend and frame mounted strike plate.

Operation

- Latch is withdrawn via a lever handle from either side of the door (handles sold separately).
- Deadbolt can be locked and un-locked via a bathroom thumb-turn and release system (sold separately).
- This lock can be released from the outside in case of an emergency when used in conjunction with a turn and release.
- Only a quarter turn is required on the thumb-turn to lock and un-lock the dead bolt.

Features

- Solid brass deadbolt and latch.
- Medium weight spring strength ideal for use with sprung lever furniture.
- Bolt through facility for bolt together fixing lever handles and accessories at 38mm centres.
- 8mm x 8mm spindle follower (to suit standard UK size door handles).
- 5mm x 5mm thumb-turn spindle follower (to suit standard UK size turn and release systems).
- Patented latch reversal mechanism. - Latch can be reversed on site without taking the lock case apart.
- Reversible and adjustable strike plate.

Security Level

- Low security economy range.
- Suitable for use on internal doors in residential properties.
- Privacy lock.

Finish


- Brass plated - (shiny finish ideal for matching with polished brass and PVD brass products).

Alternative Finishes Available

- Nickel plated.
- Florentine bronze - (antique finish).

Dimensions

- Available in two sizes
- 64mm case depth (44mm backset).
- 76mm case depth (57mm backset).



| Item Code | Lock Case Depth (A) | Backset To Keyhole (B) |
|-----------|---------------------|------------------------|
| 15109.1 | 64mm | 44mm |
| 15109.2 | 76mm | 57mm |

- Lever handle follower - 8mm x 8mm.
- Dead bolt follower - 5mm x 5mm.

Standards This Product Conforms To

- Lock case tested and passed to BS EN 12209. The British / European standard requirements and test methods covering locks and latches. Classification number - **2H810F-BG20**.
- Tested and passed to BS EN 1634 the British / European standard for determining the fire resistance of door and shutter assemblies including hardware. Assessed for use on 30 minute and 1 hour timber fire doors FD30 / FD60.- Intumescent lock case liners required (sold separately).
- Certifire approved.
- CE Marked / UKCA Marked.
- Declaration of performance (DoP) - ***please see the additional information tab to download the certificate.***

Options Available To Order

- This lock is also available to order with radius (rounded shape) forend and strike plates. Please contact us for lead times and prices.
- Intumescent sheets and lock case liners are available. Please see our intumescent fire rated products category for more details.

Rebate Kit For Double Rebated Doors

- 23012.1 - 13mm brass plated rebate kit for use with Eurospec economy locks.

Unit Of Sale

- Each - (1 x lock case supplied with forend, strike plate).

Products in this set



15109.1 - Economy Bathroom Mortice Lock - CE / UKCA Marked - Fire Rated - Certifire Approved - 64mm Case Depth (44mm Backset) - Polished Brass Plated



15109.2 - Economy Bathroom Mortice Lock - CE / UKCA Marked - Fire Rated - Certifire Approved - 76mm Case Depth (57mm Backset) - Polished Brass Plated