

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

#### **Rhodos Lever Handles - Satin Stainless Steel**

### **Product Images**





### **Description**


- The Rhodos lever from the door handle collection is a contemporary design, straight round bar lever handle set in a satin stainless steel finish.
- High architectural quality, ideal for projects where top end design and functionality are paramount.
- Made from grade 304 stainless steel Satin finish.
- Uses the patented 3 piece rose fitting system to make these handles very strong once fitted to the door. Ideal for residential or commercial use.

### **How To Order Lever Handles With A Rose**


• For Non-Locking Doors - 1 x (Pair) Lever Handles Only




• For Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons



• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons



• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release



# **Matching Accessories**

- Standard escutcheon (key hole cover to suit regular "chubb style locks")
- Euro profile escutcheon (key hole cover to suit euro profile cylinders)
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors)

## **Base Material**

• Made from grade 304 stainless steel.

## **Finish Details**

• Satin stainless steel is a grey colour with very slight golden undertones. Satin stainless steel has been "brushed" to produce visible brush marks in the surface of the item.

# **Operation**

• Both levers are sprung to ensure the lever always returns to its starting position

## **Size Information**

- Rose Diameter 52mm
- Rose Thickness 10mm
- Lever Length 131mm
- See technical information tab for diagram.

# **Spindle Size**

• 8mm x 8mm square - UK Standard.

# **Fixings**

- Comes supplied with male and female bolt through fixings and 8mm spindle.
- Grub screw fixing to spindle for extra strength once fitted to the door.
- Lever is fitted to the door using the patented 3 piece rose system.

# **Usage**

- Suitable for residential or commercial use.
- Suitable for internal or external use.

## **Standards This Product Conforms To**

- EN 1906 European performance test standards for lever handles.
- Category of use 3 High frequency of use by public or others with little incentive to exercise with care and with a high chance of misuse.

# **Unit Of Sale**

- Lever handles are sold in pairs. (One pair consists of 1x left hand and 1x right hand.)
- Escutcheons (key hole covers) are sold individually (each.)
- Turn and emergency releases are sold as a set (One set consists of a rose with a thumbturn fitted to the inside of the door and a rose with a coin slot fitted to the outside of the door.)

### **Products in this set**



15140.1 - Rhodos Lever Handles Only - Satin Stainless Steel - Pair