

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

#### Verona Lever Handles - Dual Finish Satin & Polished Stainless Steel

#### **Product Images**











#### **Description**


- 15146.1 a contemporary design dual finish lever handle made from stainless steel.
- Oval shape lever.
- High architectural quality, ideal for projects where top end design and functionality are paramount.
- Made from grade 304 stainless steel. Dual finish, mixture of satin (brushed) and polished (shiny) stainless steel.
- Uses the patented design 3 piece rose fitting system to make these handles very strong once fitted to the door. Ideal for residential or commercial use.

### **How To Order Lever Handles With A Rose**


• For Non-Locking Doors - 1 x (Pair) Lever Handles Only




• For Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons



• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons



• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release



## **Matching Accessories**

- Standard escutcheon (key hole cover to suit regular "chubb style locks") 23049.1
- Euro profile escutcheon (key hole cover to suit euro profile cylinders) 23055.1
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors) 15503.1

### **Base Material**

• Made from grade 304 stainless steel.

### **Finish Details**

- Dual finish mixture of satin (brushed) and polished (shiny) stainless steel.
- Satin stainless steel is a grey colour with very slight golden undertones which has been "brushed" to produce visible brush marks in the surface of the item
- Polished stainless steel is a highly shiny mirror like finish with a very slight golden undertone. The raw stainless steel has been highly polished to produce a shiny mirror finish.

### **Operation**

• Both levers are sprung to ensure the lever always returns to its starting position.

### Size Information

- Rose Diameter 52mm
- Rose Thickness 10mm
- Lever Length 130mm

## **Spindle Size**

• 8mm x 8mm square - UK Standard.

## **Fixings**

- Comes supplied with male and female bolt through fixings and 8mm spindle.
- Grub screw fixing to spindle for extra strength once fitted to the door.
- Lever is fitted to the door using the design patented 3 piece rose system.

## Usage

- Suitable for residential or commercial use.
- Suitable for internal or external use.

### **Standards This Product Conforms To**

- EN 1906 European performance test standards for lever handles.
- Category of use 3 High frequency of use by public or others with little incentive to exercise with care and with a high chance of misuse.

### **Unit Of Sale**

- Lever handles are sold in pairs. (One pair consists of 1x left hand and 1x right hand.)
- Escutcheons (key hole covers) are sold individually (each.)
- Turn and emergency releases are sold as a set (One set consists of a rose with a thumbturn fitted to the inside of the door and a rose with a coin slot fitted to the outside of the door.)

# **Alternative Finishes Available**

- Satin stainless steel
- Polished stainless steel

#### **Products in this set**



15146.1 - Verona - Lever Handles Only - Dual Finish Satin & Polished Stainless Steel - Pair