

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

Double Locking Surface Mounted Night Latch - Polished Brass (Lacquered)

Product Images



Description


TO SUIT MAXIMUM DOOR THICKNESS OF 54MM

• Double locking night latch

Finish

Polished brass

Dimensions



Available in two sizes - Backset size (Distance from edge of door to centre of the cylinder)

15196.1 - 40mm

15196.2 - 60mm

	15196.1	15196.2	Dimension On Diagram
Backset	40mm	60mm	A
Case Width	60mm	92mm	В
Case Height	63mm	63mm	С
Case Depth	26mm	26mm	D
Lever Projection From Case	15mm	15mm	Е
Cylinder Diameter	32mm	32mm	F
Cylinder Ring Outside Diameter	45mm	45mm	G

Important Info Before You Buy

- Suitable for inward opening doors only
- Night latch can be dead-locked (double locked) form the outside by a full turn of the key
- Latch bolt is withdrawn by handle from inside and by turn of key from outside.
- Bolt can be deadlocked or held back by sliding the thumb button on lock case
- Suitable for doors up to 54mm thickness
- For doors with narrow stiles use the 40mm backset
- Comes with cylinder, cylinder ring and two keys



15196.1 - Double Locking Surface Mounted Night Latch - 60mm Case Depth (40mm Backset) - Polished Brass (Lacquered) - Each



15196.2 - Double Locking Surface Mounted Night Latch - 92mm Case Depth (60mm Backset) - Polished Brass (Lacquered) - Each