

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk

#### Curve Lever Handles - Satin Nickel - Suitable For Use With FD30 / FD60 Fire Doors

#### **Product Images**





#### Description


- The Curve lever handles from a contemporary design door handle set with curved tubular design lever.
- Satin (brushed) nickel finish.
- Ideal for residential use.

## How To Order Lever Handles With A Rose


• For Non-Locking Doors - 1 x (Pair) Lever Handles Only




• For Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons



• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons



• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release




## How To Order Lever Handles With A Rose


• For Non-Locking Doors - 1 x (Pair) Lever Handles Only




• For Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons



• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons



• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release



#### **Matching Accessories**

- Standard escutcheon (key hole cover to suit regular "chubb style locks")
- Euro profile escutcheon (key hole cover to suit euro profile cylinders)
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors)

#### **Finish Details**

- Satin nickel is a warm grey colour with a very slight golden tint and visible brush marks in the surface of the item.
- This item has been lacquered to help protect and maintain the satin nickel finish.

## **Alternative Finishes Available**

- Satin chrome
- Polished chrome
- Polished brass

## Operation

• Both levers are sprung to ensure the lever always returns to its starting position

# **Size Information**

- Rose Diameter 50mm
- Rose Thickness 10mm
- Lever Length 121mm
- Lever Diameter 16mm

# Spindle Size

• 8mm x 8mm square - UK Standard.

# **Fixings**

- Concealed bolt together fixings via male and female bolts.
- Grub screw fixing to spindle for extra strength once fitted to the door.
- Comes supplied with male and female bolt through fixings and 8mm spindle.

#### Usage

- Suitable for residential use.
- Suitable for internal or external use.

# **Unit Of Sale**

- Lever handles are sold in pairs. (One pair consists of 1x left hand and 1x right hand.)
- Escutcheons (key hole covers) are sold individually (each.)
- Turn and emergency releases are sold as a set (One set consists of a rose with a thumbturn fitted to the inside of the door and a rose with a coin slot fitted to the outside of the door.)

#### Products in this set



15271.1 - Curve Lever Handles - Tested For Use With FD30 / FD60 Fire Doors - Satin Nickel - Pair