

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

3 Lever Economy Mortice Sash Lock - CE / UKCA Marked - Fire Rated - Certifire Approved - Polished Nickel Plated

Product Images





Description

- Economy polished nickel finish 3 lever sash lock.
- Basic style 3 lever cut keys low level security.
- For use on doors that require door handles and need to be locked via a standard "chubb" style key.
- Must be used in conjunction with some form of door handle.
- Comes supplied with a nickel plated (shiny finish) forend and frame mounted strike plate.

Operation

- Latch is withdrawn via a lever handle from either side of the door (handles sold separately).
- Deadbolt is locked and un-locked via the supplied cut keys.

Features

- Solid brass deadbolt and latch.
- Medium weight spring strength ideal for use with sprung lever furniture.
- Bolt through facility for bolt together fixing lever handles and accessories at 38mm centres.
- 8mm x 8mm spindle follower (to suit standard UK size spindles).
- Patented latch reversal mechanism. Latch can be reversed on site without taking the lock case apart.
- Reversible and adjustable strike plate.

Security Level

- Low security economy range.
- Suitable for use on internal doors in residential properties.
- Basic 3 lever cut key.

Finish


• Nickel plated - (shiny finish ideal for matching with polished chrome and polished stainless steel products).

Alternative Finishes Available

• Brass plated.

Dimensions

- Available in two sizes
- 64mm case depth (44mm backset).
- 76mm case depth (57mm backset).



Item Code	Lock Case Depth (A)	Backset To Keyhole (B)
15296,1	64mm	44mm
15296.2	76mm	57mm

Standards This Product Conforms To

- Lock case tested and passed to BS EN 12209. The British / European standard requirements and test methods covering locks and latches. Classification number 2H810F1KD2A.
- Tested and passed to BS EN 1634 the British / European standard for determining the fire resistance of door and shutter assemblies including hardware. Assessed for use on 30 minute and 1 hour timber fire doors FD30 / FD60.- Intumescent lock case liners required (sold separately).
- Certifire approved.
- CE Marked / UKCA Marked.
- Declaration of performance (DoP) please see the additional information tab to download the certificate.

Options Available To Order

- This lock is also available to order with radius (rounded shape) forend and strike plates. Please contact us for lead times and prices.
- Intumescent sheets and lock case liners are available. Please see our intumescent fire rated products category for more details.

Rebate Kit For Double Rebated Doors

• 23013.1 - 13mm nickel plated rebate kit.

Unit Of Sale

• Each - (1 x lock case supplied with forend, strike plate and 2 keys).



15296.1 - 3 Lever Economy Mortice Sash Lock - CE / UKCA Marked - Fire Rated - Certifire Approved - 64mm Case Depth (44mm Backset) - Polished Nickel Plated



15296.2 - 3 Lever Economy Mortice Sash Lock - CE / UKCA Marked - Fire Rated - Certifire Approved - 76mm Case Depth (57mm Backset) - Polished Nickel Plated