

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

5 Pin - Euro Profile Cylinders - Key / Key - Matt Black

Product Images



- 5 pin Euro profile double cylinders Key / Key operation with a Matt Black finish.
- Euro cylinders are the "barrels" that go through the middle of a door, commonly found of UPVC front doors.
- Low security range with a high quality architectural finish.
- Ideal for use on internal doors.
- Supplied with 3 keys.

Operation

- Double cylinder key operation from both sides.
- Comes supplied with 3 keys and a cylinder fixing screw.
- Key differed if ordering more then one, the cylinders will come with different keys.
- Suitable for use on wooden, UPVC and metal doors.
- Must be used in conjunction with some form of Euro profile mortice lock or multi-point locking system. (Sold separately)

Security Level

- Basic security with 5 pins.
- Best used on internal doors where low security is acceptable.
- Can be fitted externally where security isn't a high priority.

Finish


Matt Black

Alternative Finishes Available

- Polished chrome
- Polished brass
- Satin Chrome

Dimensions


• Equal cylinders (each side of the cam is the same size.)



All measurements in mm

Item Code	Overall Length (A)	External Side (B)	Internal Side (C)
43961.2	60mm	30mm	30mm
43961.3	70mm	35mm	35mm
43961.4	80mm	40mm	40mm
43961.5	90mm	45mm	45mm
43961.1	100mm	50mm	50mm

- To work out the length of cylinder you require you need to add together
- - The thickness of the door. (D) on the below diagram.
- - Plus the thickness of the escutcheon / backplate on each side of the door. (E) on the diagram below.



Overall Cylinder Length = D + (Ex2)(Ex 2 as usually this is one escutcheon on each side of the door)

Always check the mortice lock is fitted in the middle of the door if not an offset cylinder is required

- For security reasons it's best where possible to have the Euro cylinder finish flush (flat) with the edge of the escutcheon or backplates of the handles fitted to the door.
- Cylinders that stick out past escutcheons and backplates of handles are much more vulnerable to attack as they can more easily be hammered, twisted or cut during an attack.

Standards This Product Conforms To

• These 5 pin Euro profile cylinders have been included on a successful fire test to BS EN1634: Part 1 2000 - Assessed for use on 30 minute and 1 hour fire doors FD30 / FD60.

Options Available To Order

- Keyed Alike (KA) A batch of cylinders all under the same one key.
- Under Master Key (UMK) A batch of cylinders all under different keys with one master key which operates any of the cylinders.
- Please contact us for more information and lead times and prices for the above options.

Unit Of Sale

• Each - (1x cylinder with 3x keys and 1x fixing screw.)

Products in this set

×	43961.2 - 5 Pin - Euro Profile Cylinder - Key/Key - Matt Black - 60mm (30mm / 30mm) - Each
×	43961.4 - 5 Pin - Euro Profile Cylinder - Key/Key - Matt Black - 80mm (40mm / 40mm) - Each
×	43961.3 - 5 Pin - Euro Profile Cylinder - Key/Key - Matt Black - 70mm (35mm / 35mm) - Each
×	43961.1 - 5 Pin - Euro Profile Cylinder - Key/Key - Matt Black - 100mm (50mm / 50mm) - Each
×	43961.5 - 5 Pin - Euro Profile Cylinder - Key/Key - Matt Black - 90mm (45mm / 45mm) - Each