

Multipoint Door Lock Set For External Timber / Wooden Double Doors - Lift Handle To Lock Operation To Master Door & Flush Bolt System To Slave Door

Product Images





Description

- Multipoint door lock set for external double timber / wooden doors.
- 5 point locking - 3 x dead bolts + 1 x latch on master lock, 2 x shoot bolts on slave lock.
- "Lift handle to lock" operation on master door.
- Integrated lever operated flush bolt system to slave door.
- Sold as a set which includes: master lock, and flush bolt style slave lock.
- Must be used in conjunction with 1 x pair of multi-point door handles and 1 x Euro profile cylinder - **SOLD SEPARATELY**.
- Suitable for use on 44mm and 54mm thick doors.

Operation

- The slave lock is operated by a flush, integrated two-way lever which throws two heavy duty 20mm shoot bolts into the head and sill.
- The master lock securely engages into slave mechanism.
- The dead bolts on the master lock are engaged and withdrawn via multipoint lever handles from either side of the door (**handles sold separately**).
- The deadbolt on the master lock is locked and un-locked via a Euro profile cylinder (**sold separately**).

Features

- Suitable for inward or outward opening doors.
- Medium weight springing, designed for use with spring assisted (sprung) door handles.
- Bolt through facility for standard multipoint door handles.
- 8mm x 8mm spindle follower (to suit standard UK size spindles).

Security Level

- Medium security architectural range.
- Suitable for use on external doors in residential properties

Finish

- Stainless steel forend.

Dimensions

Item Code	Lock Case Depth	Backset To Keyhole	Euro Centres	Max Door Height	Minimum Door Height	Handing
43965.1	63mm	45mm	92mm	2140mm	1997mm	Left Hand
43965.2	63mm	45mm	92mm	2140mm	1997mm	Right Hand
43965.3	63mm	45mm	92mm	2284mm	TBC	Left Hand
43965.4	63mm	45mm	92mm	2284mm	TBC	Right Hand

Handing

LOOKING AT THE DOORS FROM THE OUTSIDE OF THE PROPERTY

Doors Opening	Master Door Hinged On	Slave Door Hinged On	Handing Required
Outward	Right	Left	Right Hand
Outward	Left	Right	Left Hand
Inward	Right	Left	Left Hand
Inward	Left	Right	Right Hand

- Master door is the "main door" which as the door handle fitted to it.
- Slave door is the "secondary door" which has the integrated flush bolt fitted into it.

Unit Of Sale

- Double door kit which includes the following components:
 - 1 x Master door multipoint lock (with 3 x dead bolts and 1 x latch).
 - 1 x Slave door lock with integrated flush bolt system which operates top & bottom shoot bolts,.
 - 2 x Shoot bolt keeps.



**43965.1 - Multipoint Door Lock Set For External Double Doors With Flush Bolt To Slave Door - 92mm
Euro Centres - 45mm Backset - Max Door Height 2140mm - Left Hand**



**43965.2 - Multipoint Door Lock Set For External Double Doors With Flush Bolt To Slave Door - 92mm
Euro Centres - 45mm Backset - Max Door Height 2140mm - Right Hand**



**43965.3 - Multipoint Door Lock Set For External Double Doors With Flush Bolt To Slave Door - 92mm
Euro Centres - 45mm Backset - Max Door Height 2284mm - Left Hand**



**43965.4 - Multipoint Door Lock Set For External Double Doors With Flush Bolt To Slave Door - 92mm
Euro Centres - 45mm Backset - Max Door Height 2284mm - Right Hand**

Products in this set