

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

3 Lever Economy Mortice Sash Lock - CE / UKCA Marked - Fire Rated - Certifire Approved - Brushed Satin Nickel

Product Images





Description

- 3 lever economy range sash lock, with a satin (brushed) nickel finish.
- Basic style 3 lever cut keys low level security.
- For use on doors that require door handles and need to be locked via a standard "chubb" style key.
- Must be used in conjunction with some form of door handle.
- Comes supplied with a satin nickel forend and frame mounted strike plate.

Operation

- The latch is withdrawn via a lever handle from either side of the door (handles sold separately).
- Deadbolt is locked and unlocked via the supplied cut keys.

Features

- Solid brass deadbolt and latch.
- Medium weight spring strength ideal for use with sprung lever furniture.
- Bolt through facility for bolt-together fixing lever handles and accessories at 38mm centres.
- 8mm x 8mm spindle follower (to suit standard UK size spindles).
- Patented latch reversal mechanism. Latch can be reversed on site without taking the lock case apart.
- Reversible and adjustable strike plate.

Security Level


- Low security economy range.
- Suitable for use on internal doors in residential properties.
- Basic 3 lever cut key.

Finish

• Satin nickel (brushed finish).

Dimensions

- Available in two sizes
- 64mm case depth (44mm backset).
- 76mm case depth (57mm backset).



SIDE PROFILE END PROFILE STRIKE PLATE

Item Code	Lock Case Depth (A)	Backset To Keyhole (B)
43933,1	64mm	44mm

43933.2	76mm	57mm

Standards This Product Conforms To

- Lock case tested and passed to BS EN 12209. The British / European standard requirements and test methods covering locks and latches. Classification number **2H810F1KD2A**.
- Tested and passed to BS EN 1634 the British / European standard for determining the fire resistance of door and shutter assemblies including hardware. Assessed for use on 30 minute and 1 hour timber fire doors FD30 / FD60.- Intumescent lock case liners required (sold separately).
- Certifire approved.
- CE Marked / UKCA Marked.
- Declaration of performance (DoP) please see the additional information tab to download the certificate.

Options Available To Order

- This lock is also available to order with radius (rounded shape) forend and strike plates. Please contact us for lead times and prices.
- Intumescent sheets and lock case liners are available. Please see our intumescent fire rated products category for more details.

Unit Of Sale

• Each - (1 x lock case supplied with forend, strike plate and 2 keys).

Products in this set



43993.1 - 3 Lever Economy Mortice Sash Lock - CE / UKCA Marked - Fire Rated - Certifire Approved - CE / UKCA Marked - 64mm Case Depth (44mm Backset) - Satin Nickel



43993.2 - 3 Lever Economy Mortice Sash Lock - CE / UKCA Marked - Fire Rated - Certifire Approved - CE / UKCA Marked - 76mm Case Depth (57mm Backset) - Satin Nickel