



G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk

Auto Locking Multipoint Set For External Doors - Right Hand - 92mm Euro Centres - Door Height 2050mm - To Suit 44mm - 54mm Thick Doors











#### Description


- Multipoint door lock for external timber / wooden doors.
- 3 point locking 2 x hooks,1 x dead bolt, and 1 x latch,
- Unit automatically locks when the door is closed, unlocks with key, inside handle or electrical input if optional motor is fitted.
- Must be used in conjunction with 1 x pair of multi-point door handles and 1 x Euro profile cylinder SOLD SEPARATELY.
- Options available to suit 44mm and 54mm thick doors.


### Operation

- The hook bolts on the multipoint lock are engaged automatically when the door is closes and withdrawn via a lever handle or the euro cylinder from the inside of the doo.
- The deadbolt on the master lock is locked and un-locked via a Euro profile cylinder (sold separately).
- These multipoint locks are handed please see diagram the below diagram for instructions on how to determine the handing required for your door.

INSIDE

INSIDE





### **Features**

- Suitable for use on left or right handed doors.
- Suitable for inward or outward opening doors.
- Medium weight springing, designed for use with spring assisted (sprung) door handles.
- Bolt through facility for standard multipoint door handles.
- 8mm x 8mm spindle follower (to suit standard UK size spindles).


## **Security Level**

- Medium security architectural range.
- Suitable for use on external doors in residential properties

# Finish

• Stainless steel forend.

## Dimensions



- Centres 92mm
- Case Width 63mm
- Case Height 186mm
- Faceplate Width 20mm Square
- Faceplate Height 2100mm
- Backset 55mm
- Locking Point Distance B 350mm
- Locking Point Distance A 830mm
- Locking Point Hooks 2

# **Electronic Options**

• This lock is designed to accept a "screw on" 12v electronic motor which can then be controlled by means of industry standard multi option access control systems.

## **Unit Of Sale**

- Multipoint door lock for external timber / wooden doors.
- Multipoint keeps sets sold separately

#### **Products in this set**

| × | 44276.1 - Auto Locking Multipoint Set For External Doors - Right Hand - 92mm Euro Centres - 45mm<br>Backset - Door Height 2050mm - To Suit 44mm - 54mm Thick Doors - Multipoint Keeps Sets Sold<br>Separately |
|---|---|
| × | 44276.2 - Auto Locking Multipoint Set For External Doors - Right Hand - 92mm Euro Centres - 55mm<br>Backset - Door Height 2050mm - To Suit 44mm - 54mm Thick Doors - Multipoint Keeps Sets Sold<br>Separately |
| × | 44277.1 - Auto Locking Multipoint Hook Lock Keeps - To Suit 44mm Doors  |
| × | 44277.2 - Auto Locking Multipoint Hook Lock Keeps - To Suit 54mm Doors  |
| × | 44279.1 - Auto Locking Multipoint Latch And Deadlock Keeps - Right Hand - To Suit 44mm Doors  |
| × | 44279.2 - Auto Locking Multipoint Latch And Deadlock Keeps - Right Hand - To Suit 54mm Doors  |