


G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

Knurled Pattern Lever Handles With Stepped Round Rose - Suitable For Use With FD30 / FD60 Fire Doors - Satin Nickel

Product Images





Description

- Satin nickel knurled pattern lever handles with stepped pattern concealed fix rose.
- Architectural quality.
- Matching antique brass accessories available including standard escutcheons (keyhole covers), euro profile escutcheons, bathroom turn & release set and locks latches and hinges.

How To Order Lever Handles With A Rose

• For Non-Locking Doors - 1 x (Pair) Lever Handles Only

×

• For Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons

×

• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons

×

• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release



Matching Accessories

- Standard escutcheon (key hole cover to suit regular "chubb style locks")
- Euro profile escutcheon (key hole cover to suit euro profile cylinders)
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors)

Base Material

• Made from solid brass

Finish Details

Satin nickel

Operation

• Both levers are sprung to ensure the lever always returns to its starting position.

Size Information



- Rose Diameter 53mm
- Rose Thickness 10mm

Spindle Size

• 8mm x 8mm square - UK Standard.

Fixings

- Concealed bolt together fixings via male and female bolts.
- Grub screw fixing to spindle for extra strength once fitted to the door.

Usage

- Suitable for residential use.
- Suitable for internal use.

Unit Of Sale

• Lever handles are sold in pairs. (One pair consists of 1x left hand and 1x right hand).



 $44531.1 - Knurled\ Pattern\ Lever\ Handles\ With\ Stepped\ Round\ Rose - Tested\ For\ Use\ With\ FD30\ /\ FD60$ Fire Doors - Satin\ Nickel - Pair