

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR

# Architectural Quality DIN Style Euro Profile Mortice Deadlock - CE / UKCA Marked - Fire Rated - Certifire Approved - Matt Bronze (Powder Coated)

### **Product Images**



- DIN standard mortice dead lock.
- Case size 150mm x 85mm.
- 60mm backset
- Satisfies BS 8300 and Approved Doc M (ADM). Suitable for use in public and commercial buildings.
- For use on doors that need to be locked only and do not require a pair of lever door handles.
- Must be used in conjunction with a Euro profile cylinder (sold separately).

# **Operation**

- Dead lock operated via a Euro profile cylinder (sold separately).
- One single turn of the key or thumbturn on the Euro cylinder will completely throw the 20mm dead bolt.

#### **Features**

- Heavy duty lock case and stainless steel striker plate for the door frame.
- Solid stainless steel deadbolt.
- Bolt through facility for bolt together fixing of lever handles and accessories at 38mm centers.
- 10 year mechanical guarantee as standard.
- 20mm bolt throw with a single turn of a key.
- Reversible and adjustable strike plate.
- Complete with black plastic frame box keep to sit behind the strike plate.

#### **Finish**

Matt bronze

## **Dimensions**



Item Code Lock Case Depth (A)Backset To Keyhole (B)Case Height

44851.1

85mm

60mm

150mm

## **Standards This Product Conforms To**

- Lock case tested and passed to BS EN 12209. The British / European standard requirements and test methods covering locks and latches. Classification number - 3M810F3BA00.
- Tested and passed to BS EN 1634 the British / European standard for determining the fire resistance of door and shutter assemblies including hardware. Assessed for use on 30 minute and 1 hour timber fire doors FD30 / FD60.- Intumescent lock case liners required (sold separately).
- Certifire approved.
- CE Marked / UKCA Marked.
- Declaration of performance (DoP) please see the additional information tab to download the certificate.

# **Options Available To Order**

• Intumescent lock case liners to suit the E\*S DIN standard lock range are available. Please see our intumescent fire rated products category.

# **Unit Of Sale**

• Each - (1 x lock case supplied with forend, strike plate and black plastic back box).

#### **Products in this set**



44851.1 - Architectural Quality DIN Style Euro Profile Mortice Deadlock - CE / UKCA Marked - Fire Rated - Certifire Approved - 85mm Case Depth - (60mm Backset) - (78mm Centres) - Matt Bronze (Powder Coated)