


G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

ANSI Pattern Electronic Release - FD30 / FD60 Fire Rated - Stainless Steel / Black

Product Images





Description

- The AL900 series electric releases are an ANSI style door release, complete with stainless steel short or long faceplates for use in metal or timber frame applications.
- Fire rated* suitable for use on FD30 and FD60 fire doors * when used with the intumescent kit 48228 (see related products)
- The electric release is designed to work with most leading brand mortice night latch locks.
- Fail Locked/Unlocked with long and short face plate.
- This electronic releases can also be set 12V or 24V by simply reconfiguring the wires in a different order.

Features & Benefits


- 1000lbs Holding Force
- Fire rated for use on 30min timber doors opening inward and outward Report No 419607 by Warrington Fire
- Fire rated for use on 60 min timber doors (Report with GE Door Manufacturer)
- Performance tested to EN14846
- CE Marked / UKCA Marked and EMC tested
- Easy installation
- 12/24V AC / DC on site settable
- AC Fail Secure only selectable
- DC Fail Safe/Fail Secure selectable
- Long and short faceplates are included
- Easy replacement for most leading brand ANSI electric releases
- Supplied with 250mm of cable
- 10, 25 & 50mm extension lips available

Finish

- Satin Stainless Steel
- Black Dust Box


Changing from Fail Secure to Fail Safe


Default Setting is for Fail Secure Mode.



• This electric release is supplied as fail secure operation but can easily be changed to fail safe by the simple removal of a screw.

Dimensions





- Height 202mm
- Width 32mm
- Depth 33mm

Important Info Before You Buy

• Fire rated* - suitable for use on FD30 and FD60 fire doors * when used with the intumescent kit 48228 (see related products)

Products in this set



48227.1 - ANSI Pattern Electronic Release - FD30 / FD60 Fire Rated - Fail Locked/Unlocked - Supplied With Long And Short Face Plates - Stainless Steel / Black