

VAT No: GB232661872 Company No: 00384076



#### Round Rose Lever Handles - Dual Finish Satin & Polished Stainless Steel

#### **Product Images**





Centre

Flex Meadow Harlow, Essex CM19 5SR







#### **Description**


- Contemporary design dual finish door handles made from stainless steel.
- High architectural quality.
- Made from grade 304 stainless steel. Dual finish, mixture of satin (brushed) and polished (shiny) stainless steel.
- Uses a patented design 3 piece rose fitting system to make these handles very strong once fitted to the door.
- Suitable residential or commercial use.

### **How To Order Lever Handles With A Rose**


• For Non-Locking Doors - 1 x (Pair) Lever Handles Only




• For Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons



• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons



• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release



# **Matching Accessories**

- Standard escutcheon (key hole cover to suit regular "chubb style locks") 23049.1
- Euro profile escutcheon (key hole cover to suit euro profile cylinders) 23055.1
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors) 15503.1

#### **Base Material**

• Made from grade 304 stainless steel.

#### **Finish Details**

• Dual finish - mixture of satin (brushed) and polished (shiny) stainless steel


### **Alternative Finishes Available**

• Dual finish - polished zirconium brass and satin stainless steel.

### **Operation**

• Both levers are sprung to ensure the lever always returns to its starting position.

#### **Dimensions**



- Rose Diameter 52mm
- Rose Thickness 10mm
- Lever Length 136mm

## **Spindle Size**

• 8mm x 8mm square - UK Standard.

## **Fixings**

- Comes supplied with male and female bolt through fixings and 8mm spindle.
- Grub screw fixing to spindle for extra strength once fitted to the door.
- Lever is fitted to the door using a design patented 3 piece rose system.

## **Usage**

- Suitable for residential or commercial use.
- Suitable for internal or external use.

## **Standards This Product Conforms To**

- EN 1906 European performance test standards for lever handles.
- Category of use 3 High frequency of use by public or others with little incentive to exercise with care and with a high chance of misuse.

### **Unit Of Sale**

- Lever handles are sold in pairs. (One pair consists of 1x left hand and 1x right hand.)
- Escutcheons (key hole covers) are sold individually (each.)
- Turn and emergency releases are sold as a set (One set consists of a rose with a thumbturn fitted to the inside of the door and a rose with a coin slot fitted to the outside of the door.)

#### **Products in this set**



15536.1 - Starlight Lever Handles Only - Dual Finish Satin & Polished Stainless Steel - Pair