


G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

## Traditional Sleeved Letter Plate - Draught Proof With Internal Brush - Aged Brass Unlacquered

## **Product Images**





- Traditional draught proof sleeved letter plate set
- Our traditional Letter Plates & covers are an attractive option for numerous door types
- A combination of external foam seals and internal nylon brushes maximises weather sealing and draught proofing


# **Operation**

- Lift up flap.
- Built in foam seal and internal brush.

#### **Finish**

• Aged Brass Unlacquered

#### **Dimensions**



- Overall Size: 315mm x 92mm
- Opening Size: 249mm x 41mm
- Sleeve / Cut-Out Requirements: 275mm x 75mm
- Fixing Centres: 283mm
- Maximum Door Thickness: 72mm
- Minimum Door Thickness: 42mm

### Important Info Before You Buy

- Suitable for wooden doors.
- Spring loaded to keep the flap closed.
- Set (includes both the external and internal plate).



48987.1 - Traditional Sleeved Letter Plate - Draught Proof With Internal Brush - 315mm x 92mm (283mm Fixing Centres) - Aged Brass Unlacquered - Set