

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk

Mited Round Rose Lever Handles - Dual Finish - Satin & Polished Chrome - Suitable For Use With FD30 / FD60 Fire Doors

Product Images



Description

- Mitred design round rose lever handles.
- Dual finish satin & polished chrome finish.
- Suitable for residential use.
- Concealed bolt through fixings via screw on rose.
- Suitable for use on fire rated doors tested to BS EN 1634
- Matching accessories available including standard escutcheons (keyhole covers) and a bathroom turn & release set.

How To Order Lever Handles With A Rose

- For Non-Locking Doors 1 x (Pair) Lever Handles Only
- For Locking Doors 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons
- For Euro Cylinder Locking Doors 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons
- For Locking Bathroom Doors 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release

Matching Accessories

- Standard escutcheon (key hole cover to suit regular "chubb style locks")
- Euro profile escutcheon (key hole cover to suit euro profile cylinders)
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors)

Finish

• Dual finish - satin & polished chrome.

Operation

• Both levers are sprung to ensure the lever always returns to its starting position.

Size Information

- Rose Diameter 50mm
- Rose Thickness 10mm

Spindle Size

• 8mm x 8mm square - UK Standard.

Fixings

- Concealed bolt together fixings via male and female bolts.
- Grub screw fixing to spindle for extra strength once fitted to the door.
- Comes supplied with male and female bolt through fixings and 8mm heso fixing spindle.

Usage

• Suitable for residential use.

Unit Of Sale

• Lever handles are sold in pairs. (One pair consists of 1x left hand and 1x right hand).

×

49016.1 - Mited Round Rose Lever Handles - Tested For Use With FD30 / FD60 Fire Doors - Dual Finish - Satin & Polished Chrome - Pair