

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

## **Ginevra Square Rose Lever Handles - Polished Chrome**

#### **Product Images**




- Ginevra lever on square shape rose, a modern design brushed chrome finish door handle with a chunky rectangular shape lever.
- Polished chrome finish.
- Concealed fixings via screw on square rose.
- Suitable for residential use.

### **How To Order Lever Handles With A Rose**


• For Non-Locking Doors - 1 x (Pair) Lever Handles Only




• For Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons



• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons



• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release



## **Matching Accessories**

- Standard escutcheon (key hole cover to suit regular "chubb style locks")
- Euro profile escutcheon (key hole cover to suit euro profile cylinders)
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors)

### **Base Material**

• Made from zinc alloy.

### **Finish Details**

Polished chrome.

## **Operation**

• Both levers are sprung to ensure the lever always returns to its starting position.

## **Size Information**

- Rose 52mm x 52mm
- Rose Thickness 10mm
- Lever Length 130mm

## **Spindle Size**

• 8mm x 8mm square - UK Standard.

# **Fixings**

- Screw on square rose.
- Concealed bolt together fixing.
- Comes supplied with M4 male and female bolt through fixings and 8mm spindle.
- Grub screw fixing to spindle for extra strength once fitted to the door.

## **Usage**

• Suitable for residential use.

#### **Unit Of Sale**

• Lever handles are sold in pairs. (One pair consists of 1x left hand and 1x right hand).

#### **Products in this set**



43873.1 - Ginevra Square Rose Lever Handles Only - Polished Chrome - (Pair)