

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

Edge - Square Rose Lever Handles - Polished Chrome - Suitable For Use With FD30 / FD60 Fire Doors

Product Images



Description


- Edge design lever on square shape rose, a modern design polished chrome finish door handle with a flat front and rounded back.
- Polished Chrome finish.
- Concealed fixings via screw on square rose.
- Suitable for residential use.

How To Order Lever Handles With A Rose


• For Non-Locking Doors - 1 x (Pair) Lever Handles Only




• For Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons



• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons



• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release



Matching Accessories

- Standard escutcheon (key hole cover to suit regular "chubb style locks")
- Euro profile escutcheon (key hole cover to suit euro profile cylinders)
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors)

Base Material

• Made from zinc alloy.

Finish Details

Polished chrome.

Operation

• Both levers are sprung to ensure the lever always returns to its starting position.

Size Information

- Rose 52mm x 52mm
- Rose Thickness 10mm
- Lever Length 130mm

Spindle Size

• 8mm x 8mm square - UK Standard.

Fixings

- Screw on square rose.
- Concealed bolt together fixing.
- Comes supplied with M4 male and female bolt through fixings and 8mm spindle.
- Grub screw fixing to spindle for extra strength once fitted to the door.

Usage

• Suitable for residential use.

Unit Of Sale

• Lever handles are sold in pairs. (One pair consists of 1x left hand and 1x right hand).

Products in this set



49014.1 - Edge - Tested For Use With FD30 / FD60 Fire Doors - Square Rose Lever Handles Only - Polished Chrome - Pair