


G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR

Eclisse Sliding Pocket Door System - Single Door Kit - 115mm Finished Wall Thickness


Product Images












- The Eclisse sliding door gear system is designed for use with sliding internal pocket hideaway doors weighing up to 80kg.
- Allows an interior door to slide into a "pocket" within the wall cavity.
- Each set includes all the main components needed to install a long lasting, smooth running sliding door including steel wrapped studs used to create the wall cavity or "pocket" for the door to slide into.
- This high quality sliding door gear is suitable for residential and commercial applications. The unique design allows doors between 35mm-45mm thick to be installed with a finished wall of 115mm.
- Supplied as a kit to create the pocket, which can be fully fitted in under 60 minutes by a skilled installer.
- Suitable for use with timber doors only door not included.
- Unlike other pocket door systems on the market the Eclisse system comes supplied complete with timber lining jamb kits.




Accessories Available To Suit Eclisse System

- Soft close mechanism to dampen softly close the sliding door. (sold separately).
- Self closing mechanism automatically pulls the door closed each time the door had been opened. (sold separately).
- Motorised units to automatically open the door. (sold separately).

Features & Benefits

- Space saving sliding doors help create up to 8% more living more space within a property
- Easy access
- Quiet operation
- Easy installation
- Economical
- Prefabricated components

Dimensions - Frame Sizes & Door Kit Sizes Available



Item Code	Door Size (DW x DH)	Max Passage Size (PW x PH)	Overall Frame Size (W x H)	Finished Wall Thickness
49292.1	610mm x 1981mm - (2ft. 0in. x 6ft. 6in.)	585mm x 1971mm	1279mm x 2061mm	115mm*
49292.2	686mm x 1981mm - (2ft. 3in. x 6ft. 6in.)	661mm x 1971mm	1455mm x 2061mm	115mm*
49292.3	762mm x 1981mm - (2ft. 6in. x 6ft. 6in.)	737mm x 1971mm	1631mm x 2061mm	115mm*
49292.4	838mm x 1981mm - (2ft. 9in. x 6ft. 6in.)	813mm x 1971mm	1707mm x 2061mm	115mm*
49292.5	914mm x 1981mm - (3ft. 0in. x 6ft. 6in.)	900mm x 1971mm	1894mm x 2061mm	115mm*
49292.6	626mm x 2040mm	600mm x 2030mm	1294mm x 2120mm	115mm*
49292.7	726mm x 2040mm	700mm x 2030mm	1494mm x 2120mm	115mm*
49292.8	826mm x 2040mm	800mm x 2030mm	1694mm x 2120mm	115mm*
49292.9	926mm x 2040mm	900mm x 2030mm	1894mm x 2120mm	115mm*
49292.11	1026mm x 2040mm	1000mm x 2030mm	2094mm x 2120mm	115mm*

- * Single door kit to suit a 95mm finished wall thickness also available see product 49291
- Please note plasterboard is not provided with this kit and must be bought separately.

Finshed Wall Thickness

• 115mm finished wall thickness - designed for use with 89mm wooden studwork.



Items Included Within The Eclisse Pocket Sliding Door Kit

- Metal frame work to create the "pocket"
- Screws to fix plasterboard to metal frame (Plasterboard not supplied)
- Roller bearing door hanger kit
- Timber lining kit (door jamb kit) including brush seals and rubber bumpers.

Eclisse Standard Pocket Door Kit - Installation Video

Eclisse Jamb Kit - Installation Video

