


G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk

Rounded Back To Back Pull Handle With Rounded Knurled Grip - 448mm Length (425mm Centres) -Polished Nickel - Suitable For Use With FD30 / FD60 Fire Doors


Product Images







- Rounded Back To Back Pull Handle With Rounded Knurled Grip
- High architectural quality Polished Nickel pull handle
- Made from solid brass ideal for internal or external entrance doors
- Back to back fixing pair allows for handles to be fitted on both sides of the door.
- Suitable for use on timber, metal doors.
- Back to back fixing door design see below diagram



Above diagram shows how a bolt through pull handle is fitted to a wooden door


Base Material

• Solid Brass

Finish

• Polished Nickel

Dimensions



- Overall Length: 439mm
- Bolt Centres: 425mm
- Projection: 65mm
- Maximum Door Thickness: 65mm

Fire Rating

• These handles have been tested to be used on FD30 / FD60 fire doors

Important Info Before You Buy

- Suitable for wooden doors
- Sold as a back to back fixing pair (2 handles)

Products in this set

×

49544.1 - Rounded Back To Back Pull Handle With Rounded Knurled Grip - Tested For Use With FD30 / FD60 Fire Doors - 448mm Length (425mm Centres) - Polished Nickel - Pair