

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR


Rounded Back To Back Pull Handle With Rounded Knurled Grip - 448mm Length (425mm Centres) - Satin Brass (Lacquered) - Suitable For Use With FD30 / FD60 Fire Doors

## **Product Images**





- Rounded Back To Back Pull Handle With Rounded Knurled Grip
- High architectural quality Satin Brass pull handle
- Made from solid brass ideal for internal or external entrance doors
- Back to back fixing pair allows for handles to be fitted on both sides of the door.
- Suitable for use on timber, metal doors.
- Back to back fixing door design see below diagram



Above diagram shows how a bolt through pull handle is fitted to a wooden door


## **Base Material**

Solid Brass

### Finish

• Satin Brass

#### **Dimensions**



- Overall Length: 439mm
- Bolt Centres: 425mm
- Projection: 65mm
- Maximum Door Thickness: 65mm

# **Fire Rating**

• These handles have been tested to be used on FD30 / FD60 fire doors

## Important Info Before You Buy

- Suitable for wooden doors
- Sold as a back to back fixing pair (2 handles)

## **Products in this set**



49606.1 - Rounded Back To Back Pull Handle With Rounded Knurled Grip - Tested For Use With FD30 / FD60 Fire Doors - 448mm Length (425mm Centres) - Satin Brass (Lacquered) - Pair