

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

Knurled Pattern Lever Handles With Knurled Round Rose - Suitable For Use With FD30 / FD60 Fire Doors - Satin Nickel

Product Images



Description

- Satin Nickel Knurled pattern lever handles with knurled pattern concealed fix rose.
- Architectural quality.
- Matching Satin Nickel accessories available including standard escutcheons (keyhole covers), euro profile escutcheons, bathroom turn & release set and locks latches and hinges.

How To Order Lever Handles With A Rose

- For Non-Locking Doors 1 x (Pair) Lever Handles Only
- ×
- For Locking Doors 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons
- ×
- For Euro Cylinder Locking Doors 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons
- ×
- For Locking Bathroom Doors 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release
- ×

Matching Accessories

- Standard escutcheon (key hole cover to suit regular "chubb style locks")
- Euro profile escutcheon (key hole cover to suit euro profile cylinders)
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors)

Base Material

• Made from solid brass


Finish Details

• Satin Nickel finish.

Operation

• Both levers are sprung to ensure the lever always returns to its starting position.

Size Information



- Rose Diameter 53mm
- Rose Thickness 10mm

Spindle Size

• 8mm x 8mm square - UK Standard.

Fixings

- Concealed bolt together fixings via male and female bolts.
- $\bullet \;\;$ Grub screw fixing to spindle for extra strength once fitted to the door.

Usage

- Suitable for residential use.
- Suitable for internal use.

Unit Of Sale

• Lever handles are sold in pairs. (One pair consists of 1x left hand and 1x right hand).



49624.1 - Knurled Pattern Lever Handles With Knurled Round Rose - Tested For Use With FD30 / FD60 Fire Doors - Satin Nickel - Pair