

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

#### Rhodos Lever Handle On Miniature Round Rose - Satin Stainless Steel

### **Product Images**



### **Description**


- Rhodos lever from the door handle collection is a contemporary design, straight round bar lever handles
- High architectural quality, ideal for projects where top end design and functionality are paramount
- Made from grade 304 stainless steel
- Miniature round roses this allows for use on doors with narrow roses and crittall style doors

## **How To Order Lever Handles With A Rose**


• For Non-Locking Doors - 1 x (Pair) Lever Handles Only




• For Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons



• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons



• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release



# **Matching Accessories**

- Standard escutcheon (key hole cover to suit regular "chubb style locks")
- Euro profile escutcheon (key hole cover to suit euro profile cylinders)
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors)

### **Base Material**

• Made from grade 304 stainless steel

### **Finish Details**

Satin Stainless Steel

## **Operation**

• Both levers are sprung to ensure the lever always returns to its starting position

### Size Information

- Rose Diameter 30mm
- Rose Thickness 2mm
- Lever Length 131mm
- Lever Diameter 19mm

# **Spindle Size**

• 8mm x 8mm square - UK Standard.

# **Fixings**

- Comes supplied with male and female bolt through fixings and 8mm spindle
- Grub screw fixing to spindle for extra strength once fitted to the door
- Lever is fitted to the door using the patented 3 piece rose system

# **Usage**

- Suitable for residential or commercial use
- Suitable for internal or external use

## Standards This Product Conforms To

- EN 1906 European performance test standards for lever handles.
- Category of use 3 High frequency of use by public or others with little incentive to exercise with care and with a high chance of misuse

## **Unit Of Sale**

• Lever handles are sold in pairs (One pair consists of 1x left hand and 1x right hand)



 ${\bf 50380.1 - Rhodos\ Lever\ Handle\ On\ Miniature\ Round\ Rose - Satin\ Stainless\ Steel - Pair}$