

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk

### Soho Lever Handle On Miniature Round Rose - Semi-Gloss White

#### **Product Images**



#### Description


- Soho lever from the door handle collection is a contemporary design, straight round bar lever handles
- High architectural quality, ideal for projects where top end design and functionality are paramount
- Made from grade 304 stainless steel
- Miniature round roses this allows for use on doors with narrow roses and crittall style doors

### How To Order Lever Handles With A Rose


• For Non-Locking Doors - 1 x (Pair) Lever Handles Only




• For Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons



• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons



• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release



## **Matching Accessories**

- Standard escutcheon (key hole cover to suit regular "chubb style locks")
- Euro profile escutcheon (key hole cover to suit euro profile cylinders)
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors)

### **Base Material**

• Made from grade 304 stainless steel

# **Finish Details**

• Semi-Gloss White

## Operation

• Both levers are sprung to ensure the lever always returns to its starting position

## **Size Information**

- Rose Diameter 30mm
- Rose Thickness 2mm
- Lever Length 131mm
- Lever Diameter 18mm x 10mm

# Spindle Size

• 8mm x 8mm square - UK Standard.

## **Fixings**

- Comes supplied with male and female bolt through fixings and 8mm spindle
- Grub screw fixing to spindle for extra strength once fitted to the door
- Lever is fitted to the door using the patented 3 piece rose system

## Usage

- Suitable for residential or commercial use
- Suitable for internal or external use

## **Standards This Product Conforms To**

- EN 1906 European performance test standards for lever handles.
- Category of use 3 High frequency of use by public or others with little incentive to exercise with care and with a high chance of misuse

# **Unit Of Sale**

• Lever handles are sold in pairs (One pair consists of 1x left hand and 1x right hand)

×

50385.1 - Soho Lever Handle On Miniature Round Rose - Semi-Gloss White - Pair