Flex Meadow Harlow, Essex CM19 5SR



# Ball Bearing Grade 13 Fire Rated Hinges - CE / UKCA Marked - Certifire Approved - Polished Stainless Steel - 102mm x 76mm

## **Product Images**




- Grade 13 one hour fire rated hinges suitable for internal or external doors
- Tested and passed to British standard EN.1935 2002 suitable for doors up to 120kg in weight
- Ball bearings located in the knuckle of hinge, for excellent strength and wear-ability

#### **Finish**

• Polished stainless steel

#### **Dimensions**



	20931.1	Dimension On Diagram
Height (H)	102mm	Α
Width (W)	76mm	В
Leaf Width	30mm	С
Thickness	3mm	N/A

### Important Info Before You Buy

- Suitable for wooden doors
- These hinges should be used on any door that has to pass fire regulations
- The grade 13 certification allows the hinges to be used on doors up to 120kg in weight and is up to 1 hour fire resistant
- Base material is stainless steel
- Stainless steel is a very hardwearing finish ideal for use on internal or external doors
- These grade 13 fire rated hinges have 2 ball bearings in the knuckle for excellent strength and wear-ability
- We recommend this hinge for glazed or heavy weight internal or external doors
- For medium weight or light weight internal doors we recommend the 76mm x 50mm Stainless Steel hinges
- PLEASE NOTE TO PASS FIRE REGULATIONS THREE HINGES MUST BE FITTED PER DOOR (PAIR AND A HALF PER DOOR)
- Hinges are sold and priced in pairs and come supplied with screws



20931.1 - Ball Bearing Grade 13 Fire Rated Hinges - CE / UKCA Marked - Certifire Approved - 120kg Weight Limit -  $102mm \times 76mm$  - Polished Stainless Steel - Pair

Ball Bearing Grade 13 Fire Rated Hinges - CE / UKCA Marked