

T-Bar Shape Bolt Through Pull Handle - Grade 316 Satin Stainless Steel - Suitable For Use With FD30 / FD60 Fire Doors

Product Images



Description

- High architectural quality guardsman style T-Bar shape stainless steel pull handle
- High grade 316 stainless steel ideal for internal doors and external entrance doors
- Suitable for use on half hour FD30 and one hour FD60 fire doors tested and passed to BS EN 1634-1 2000
- Bolt through the door design see below diagram



Above diagram shows how a bolt through pull handle is fitted to a wooden door

Alternative Fixing Options:

- Bolt through fixing with cover caps (where no finger plate is wanted on the reverse side) - see related product - **43478**.
- Back to back pair (kit for fitting pull handles to both sides of the door) - see related product - **43480**.
- Face fixing with roses (kit for situations where the handle cannot be fixed from the rear) - see related product - **43484**.


Finish

- Satin stainless steel

Alternative Finishes Available

- Polished stainless steel

Dimensions



Item	Bolt centers (A)	Diameter (B)	Projection (C)	Overall Length (D)	Post Diameter (E)
21110.7	225mm	22mm	63mm	325mm	19mm
21110.8	300mm	22mm	63mm	400mm	19mm
21110.1	225mm	25mm	63mm	345mm	22mm

21110.2	300mm	25mm	63mm	420mm	22mm
21110.4	450mm	30mm	70mm	600mm	25mm
21110.5	600mm	30mm	70mm	775mm	25mm
21110.3	1000mm	30mm	70mm	1200mm	25mm
21110.6	1630mm	30mm	70mm	1800mm	25mm

Important Info Before You Buy

- Suitable for wooden doors
- Pull handles are best suited for areas of high or heavy use such as offices, schools and public buildings
- Sold Individually

Products in this set



21110.7 - T-Bar Shape Pull Handle - Tested For Use With FD30 / FD60 Fire Doors - 225mm Centres (325mm Overall) x 22mm Diameter - Grade 316 Satin Stainless Steel - Each



21110.8 - T-Bar Shape Pull Handle - Tested For Use With FD30 / FD60 Fire Doors - 300mm Centres (400mm Overall) x 22mm Diameter - Grade 316 Satin Stainless Steel - Each



21110.2 - T-Bar Shape Pull Handle - Tested For Use With FD30 / FD60 Fire Doors - 300mm Centres (420mm Overall) x 25mm Diameter - Grade 316 Satin Stainless Steel - Each



21110.4 - T-Bar Shape Pull Handle - Tested For Use With FD30 / FD60 Fire Doors - 450mm Centres (600mm Overall) x 30mm Diameter - Grade 316 Satin Stainless Steel - Each



21110.5 - T-Bar Shape Pull Handle - Tested For Use With FD30 / FD60 Fire Doors - 600mm Centres (775mm Overall) x 30mm Diameter - Grade 316 Satin Stainless Steel - Each



21110.3 - T-Bar Shape Pull Handle - Tested For Use With FD30 / FD60 Fire Doors - 1000mm Centres (1200mm Overall) x 30mm Diameter - Grade 316 Satin Stainless Steel - Each



21110.6 - T-Bar Shape Pull Handle - Tested For Use With FD30 / FD60 Fire Doors - 1630mm Centres (1800mm Overall) x 30mm Diameter - Grade 316 Satin Stainless Steel - Each