

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

# Bulb End Window Fastener - Suitable For Use On Weather Stripped Windows - Polished Brass (Lacquered)

# **Product Images**



# **Description**

- 21730.1 polished brass bulb end window fastener.
- Traditional hevay quality design.
- Suitable for use on weather stripped (draught proofed) timber windows.
- This casement fastener is designed to be fixed on the side of the window and is the handle used to keep the window closed.

• This fastener is reversible so can be used on windows hung on the left or right.


#### **Base Material**

• Brass.

#### **Finish**

• Polished brass - (shiny finish).

### **Dimensions**



- Back Plate Height 60mm x Width 16mm
- Handle Length 102mm
- Tag Length 17mm
- Step Distance 8mm
- Mortice Plate Height 72mm x Width 15mm
- Hook Plate Height 60mm x Width 15mm

## Important Info Before You Buy

- Suitable for wooden windows.
- Comes supplied with mortice plate and hook plate.
- For standard outward opening windows the mortice plate is used.
- For double windows or where the window sits flush with the frame the hook plate is used.
- Suitable for use on weather stripped windows.
- Matching window stay to open and close the window also available.



21730.1 - Bulb End Window Fastener - Suitable For Use On Weather Stripped Windows - Tested For Use With FD30 / FD60 Fire Doors - Polished Brass (Lacquered) - Each