

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

# Rectangular Design Flush Pull Handle - Tested For Use On FD30 Fire Doors - 100mm x 50mm - Polished Stainless Steel

#### **Product Images**






#### **Description**

- Contemporary design rectangular shape flush fitting, inset pull handle for sliding doors.
- Suitable for use on full height sliding doors, wardrobe doors and cupboard doors.
- Sleek minimal look thanks to discreet fixings (this item is fixed via wood screws from inside the recess).
- Made from stainless steel this item is a polished (shiny) finish.
- This item has to be morticed (cut) into the door to allow it to sit fit flush.
- Available in one size only 100mm x 50mm
- Test for use on FD30 timber fire doors (please check test evidence of your fire door for compatibility).

#### **Size Details**



Item CodeHeightWidthRecess DepthRecess HeightRecess WidthBackplate Thickness21824.1100mm50mm9mm80mm38mm2mm

#### **Base Material**

• Made from stainless steel.

#### **Finish Details**

• Polished stainless steel.

## **Alternative Finishes Available**

• Satin stainless steel - (Brushed finish)

# **Fixings**

- This handle is fitted via 2 x wood screws inside the recess of the handle.
- Screws are supplied with this item.

## Usage

- Suitable for internal or external use.
- To fit this handle completely flush a minimum door thickness of 18mm is required.

### **Unit Of Sale**

• This item is sold individually - (Each)



21824.1 - Rectangular Design Flush Pull Handle - Tested For Use On FD30 Fire Doors - 100mm x 50mm - Polished Stainless Steel - Each