

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

Rectangular Design Flush Pull Handle - Tested For Use On FD30 Fire Doors - 100mm x 50mm - Polished Stainless Steel

Product Images






Description

- Contemporary design rectangular shape flush fitting, inset pull handle for sliding doors.
- Suitable for use on full height sliding doors, wardrobe doors and cupboard doors.
- Sleek minimal look thanks to discreet fixings (this item is fixed via wood screws from inside the recess).
- Made from stainless steel this item is a polished (shiny) finish.
- This item has to be morticed (cut) into the door to allow it to sit fit flush.
- Available in one size only 100mm x 50mm
- Test for use on FD30 timber fire doors (please check test evidence of your fire door for compatibility).

Size Details



Item CodeHeightWidthRecess DepthRecess HeightRecess WidthBackplate Thickness21824.1100mm50mm9mm80mm38mm2mm

Base Material

• Made from stainless steel.

Finish Details

• Polished stainless steel.

Alternative Finishes Available

• Satin stainless steel - (Brushed finish)

Fixings

- This handle is fitted via 2 x wood screws inside the recess of the handle.
- Screws are supplied with this item.

Usage

- Suitable for internal or external use.
- To fit this handle completely flush a minimum door thickness of 18mm is required.

Unit Of Sale

• This item is sold individually - (Each)



21824.1 - Rectangular Design Flush Pull Handle - Tested For Use On FD30 Fire Doors - 100mm x 50mm - Polished Stainless Steel - Each