

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk

# Square Shape D Style Pull Handle - Satin Stainless Steel - Suitable For Use With FD30 / FD60 Fire Doors


## **Product Images**



#### Description

- Brushed stainless steel pull handle
- 19mm x 19mm square D shape design
- Grade 304 stainless steel suitable for internal or external use
- Suitable for use on half hour FD30 and one hour FD60 fire doors tested and passed to BS EN 1634-1 2000

• Bolt through the door design see below diagram



#### Above diagram shows how a bolt through pull handle is fitted to a wooden door


#### Alternative Fixing Options:

- Bolt through fixing with cover caps (where no finger plate is wanted on the reverse side) see related product 43478.
- Back to back pair (kit for fitting pull handles to both sides of the door) see related product 43482.

#### Finish

• Satin stainless steel

### Dimensions



#### Item Bolt centers (A)

- 22103.1 225mm
- 22103.2 300mm
- **22103.3** 450mm
- **22103.4** 600mm

#### Important Info Before You Buy

• Suitable for wooden doors

• Pull handles are best suited for areas of high or heavy use such as offices, schools and public buildings

## Products in this set

×	22103.1 - Square Shape D Style Pull Handle - Tested For Use With FD30 / FD60 Fire Doors - 225mm Bolt Centres - Satin Stainless Steel - Each
×	22103.2 - Square Shape D Style Pull Handle - Tested For Use With FD30 / FD60 Fire Doors - 300mm Bolt Centres - Satin Stainless Steel - Each
×	22103.3 - Square Shape D Style Pull Handle - Tested For Use With FD30 / FD60 Fire Doors - 450mm Bolt Centres - Satin Stainless Steel - Each
×	22103.4 - Square Shape D Style Pull Handle - Tested For Use With FD30 / FD60 Fire Doors - 600mm Bolt Centres - Satin Stainless Steel - Each