

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

### Trend - Round Rose Lever Handles - Black Nickel - Suitable For Use With FD30 / FD60 Fire Doors

#### **Product Images**













#### **Description**


- Tubular design handles.
- Black nickel Polished (shiny) finish.
- Concealed fixings via screw on rose.
- Suitable for residential use.
- Matching black nickel accessories available including Standard escutcheons (keyhole covers), Euro profile escutcheons and a bathroom turn & release set.

### **How To Order Lever Handles With A Rose**


• For Non-Locking Doors - 1 x (Pair) Lever Handles Only




• For Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons



• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons



• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release



## **Matching Accessories**

- Standard escutcheon (key hole cover to suit regular "chubb style locks")
- Euro profile escutcheon (key hole cover to suit euro profile cylinders)
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors)

#### **Base Material**

• Made from zinc alloy.

### **Finish Details**

- Black nickel A highly shiny, smooth, mirror like finish that is black in colour with a chrome tint.
- The zinc alloy base material has been highly polished and black nickel plated to produce this finish.

### **Alternative Finishes Available**

• Dual finish - polished chrome & satin nickel

## **Operation**

• Both levers are sprung to ensure the lever always returns to its starting position.

### Size Information

- Rose Diameter 51mm
- Rose Thickness 10mm
- Lever Length 130mm

## **Spindle Size**

• 8mm x 8mm square - UK Standard.

## **Fixings**

- Screw on rose.
- Concealed bolt together fixing.
- Comes supplied with M4 male and female bolt through fixings and 8mm spindle.
- Grub screw fixing to spindle for extra strength once fitted to the door.

# **Usage**

- Suitable for residential use.
- Suitable for internal or external use.

### **Unit Of Sale**

- Lever handles are sold in pairs. (One pair consists of 1x left hand and 1x right hand.)
- Escutcheons (key hole covers) are sold individually (each.)
- Turn and emergency releases are sold as a set (One set consists of a rose with a thumbturn fitted to the inside of the door and a rose with a coin slot fitted to the outside of the door.)

#### **Products in this set**



30157.1 - Trend Round Rose Lever Handles Only - Tested For Use With FD30 / FD60 Fire Doors - Black Nickel - Pair