

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk

Arkus Lever Handles - Dual Finish Black Nickel & Polished Chrome - Suitable For Use With FD30 / FD60 Fire Doors

Product Images





Description


- 30158.1 dual finish black nickel lever handles.
- Contemporary design door handle set fitted to a round rose.
- Dual finish the levers are a mixture of shiny black nickel and polished (shiny) chrome.
- Suitable for residential use.
- Matching dual finish accessories available including Standard escutcheons (keyhole covers), Euro profile escutcheons and a bathroom turn & release set.

How To Order Lever Handles With A Rose


• For Non-Locking Doors - 1 x (Pair) Lever Handles Only




• For Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Standard Escutcheons



• For Euro Cylinder Locking Doors - 1 x (Pair) Lever Handles Only + 2 x (Each) Euro Escutcheons



• For Locking Bathroom Doors - 1 x Pair Lever Handles Only + 1 x (Set) Turn & Emergency Release



Matching Accessories

- Standard escutcheon (key hole cover to suit regular "chubb style locks") 23102.1
- Euro profile escutcheon (key hole cover to suit euro profile cylinders) 23096.1
- Turn & emergency release (a thumbturn used to lock bathroom doors, WC's and toilet doors) 23080.1

Finish Details

- Dual finish mixture of shiny black nickel and polished (shiny) chrome.
- Black nickel A highly shiny, smooth, mirror like finish that is black in colour with a chrome tint.
- The zinc alloy base material has been highly polished and then chrome plated and black nickel plated to produce this finish.

Alternative Finishes Available

• Dual finish - satin & polished chrome

Operation

• Both levers are sprung to ensure the lever always returns to its starting position.

Size Information

- Rose Diameter 50mm
- Rose Thickness 10mm
- Lever Length 130mm

Spindle Size

• 8mm x 8mm square - UK Standard.

Fixings

- Concealed bolt together fixings via male and female bolts.
- Grub screw fixing to spindle for extra strength once fitted to the door.
- Comes supplied with male and female bolt through fixings and 8mm spindle.

Usage

- Suitable for residential use.
- Suitable for internal or external use.

Unit Of Sale

- Lever handles are sold in pairs. (One pair consists of 1x left hand and 1x right hand.)
- Escutcheons (key hole covers) are sold individually (each.)
- Turn and emergency releases are sold as a set (One set consists of a rose with a thumbturn fitted to the inside of the door and a rose with a coin slot fitted to the outside of the door.)

Products in this set

×

30158.1 - Arkus Lever Handles Only - Tested For Use With FD30 / FD60 Fire Doors - Dual Finish -Polished Chrome & Black Nickel - Pair