

---

**5 Pin - Euro Profile Cylinders - Key / Key - Satin Chrome - Suitable For Use With FD30 / FD60 Fire  
Doors**

**Product Images**

---



## Description

---

- Eurospec 5 pin - Euro profile double cylinders - Key / Key operation with a brushed polished chrome plated finish.
- Euro cylinders are the "barrels" that go through the middle of a door, commonly found on UPVC front doors.
- Low security range with a high quality architectural finish.
- Ideal for use on internal doors.
- Supplied with 3 keys.

## Operation

- Double cylinder - key operation from both sides.
- Comes supplied with 3 keys and a cylinder fixing screw.
- Key differed - if ordering more than one, the cylinders will come with different keys.
- Suitable for use on wooden, UPVC and metal doors.
- Must be used in conjunction with some form of Euro profile mortice lock or multi-point locking system. (Sold separately)

## Security Level

- Basic security with 5 pins.
- Best used on internal doors where low security is acceptable.
- Can be fitted externally where security isn't a high priority.

## Finish


- Satin chrome - (brushed finish.)

## Alternative Finishes Available

- Polished chrome
- Polished brass

## Dimensions


- Equal cylinders (each side of the cam is the same size.)



All measurements in mm

| Item Code | Overall Length (A) | External Side (B) | Internal Side (C) |
|-----------|--------------------|-------------------|-------------------|
| 30677.3   | 60mm               | 30mm              | 30mm              |
| 30677.4   | 70mm               | 35mm              | 35mm              |
| 30677.5   | 80mm               | 40mm              | 40mm              |
| 30677.6   | 90mm               | 45mm              | 45mm              |
| 30677.1   | 100mm              | 50mm              | 50mm              |

- To work out the length of cylinder you require you need to add together
- - The thickness of the door. (D) on the below diagram.
- - Plus the thickness of the escutcheon / backplate on each side of the door. (E) on the diagram below.



$$\text{Overall Cylinder Length} = D + (E \times 2)$$

(E x 2 as usually this is one escutcheon on each side of the door)

Always check the mortice lock is fitted in the middle of the door  
if not an offset cylinder is required

- For security reasons it's best where possible to have the Euro cylinder finish flush (flat) with the edge of the escutcheon or backplates of the handles fitted to the door.
- Cylinders that stick out past escutcheons and backplates of handles are much more vulnerable to attack as they can more easily be hammered, twisted or cut during an attack.

## Standards This Product Conforms To

- The Eurospec 5 pin Euro profile cylinders have been included on a successful fire test to BS EN1634: Part 1 2000 - Assessed for use on 30 minute and 1 hour fire doors FD30 / FD60.

## Options Available To Order

- **Keyed Alike (KA)** - A batch of cylinders all under the same one key.
- **Under Master Key (UMK)** - A batch of cylinders all under different keys with one master key which operates any of the cylinders.
- Please contact us for more information and lead times and prices for the above options.

## Unit Of Sale

- Each - (1x cylinder with 3x keys and 1x fixing screw.)

Products in this set

---



30677.3 - 5 Pin - Euro Profile Cylinder - Key/Key - Satin Chrome - 60mm - Each



30677.4 - 5 Pin - Euro Profile Cylinder - Key/Key - Satin Chrome - 70mm - Each



30677.5 - 5 Pin - Euro Profile Cylinder - Key/Key - Satin Chrome - 80mm - Each



30677.1 - 5 Pin - Euro Profile Cylinder - Key/Key - Satin Chrome - 100mm - Each