
**10 Pin - Euro Profile Cylinders - Mid Level Security - Key / Turn - Satin Chrome - Suitable For Use
With FD30 / FD60 Fire Doors**

Product Images



Description

- Eurospec MP10 range - 10 pin Euro profile double cylinders with key operation from one side of the door and thumbturn operation from the other (Key / Turn).
- Satin chrome plated - (brushed finish ideal for use with stainless steel hardware).
- Euro cylinders are the "barrels" that go through the middle of a door, commonly found on UPVC front doors.
- Key / Turn knob cylinders are ideal for use on internal doors where a room or area is required to be key locked from the outside for security, but requires the facility to be able to unlock the door in case of an emergency via the internal thumb turn knob.
- Ideal for use in bedrooms and office rooms or any room where the door might need to be unlocked quickly without the use of a key.
- Not suitable for use on fire escape doors as an emergency exit device.
- Excellent mid level security range with a high quality architectural finish.
- Police preferred specification - Secured By Design (SBD) approved with anti-pick and anti-drill pins.
- Tested to BS EN 1303
- Restricted key section with key blanks only available through approved distributors.
- Ideal for use on internal or external doors including front doors.
- Supplied with 3 keys.

Operation

- Double cylinder - key operation from outside side (secure side) and thumb turn operation from the inside of the door (non secure side).
- The door can be locked and unlocked by turning the thumb turn knob from the inside or via key on the outside.
- Comes supplied with 3 keys and a cylinder fixing screw.
- Key differed - if ordering more than one, the cylinders will come with different keys.
- Suitable for use on wooden, UPVC and metal doors.
- Must be used in conjunction with some form of Euro profile mortice lock or multi-point locking system. (Sold separately)

Security Level

- Eurospec MP10 range - excellent mid-level security with 10 pins.
- Tested to BS EN 1303 - Key security grade 6 and cylinder security grade 2* (*when used in conjunction with Eurospec security escutcheons.)
- Police preferred specification - Secured By Design (SBD) approved.
- Over 200 possible key profiles.
- Over 2 million key differs.
- Specially designed unique keyway.
- Restricted key section with key blanks only available through approved distributors.
- **Anti-pick design with the following features**
 - multi-pin security with 3 sets of cylinder pins (top, left and right)
 - Special anti-pick pins inside cylinder
 - Unique key section to frustrate the use of many cylinder lock picks
 - Anti-drill with stainless steel hardened inserts in cylinder housing and plug
- Suitable for use on internal or external doors including front doors where good mid level security is required.

Finish


- Satin chrome - (brushed finish.)

Alternative Finishes Available

- Polished chrome
- Polished brass

Dimensions


- Equal cylinders (each side of the cam is the same size.)



All measurements in mm

Item Code	Overall Length (A)	External Side (B)	Internal Side (C)
30695.2	64mm	32mm	32mm
30695.3	70mm	35mm	35mm
30695.4	80mm	40mm	40mm

- To work out the length of cylinder you require you need to add together
 - - The thickness of the door. (D) on the below diagram.
 - - Plus the thickness of the escutcheon / backplate on each side of the door. (E) on the diagram below.



$$\text{Overall Cylinder Length} = D + (E \times 2)$$

(E x 2 as usually this is one escutcheon on each side of the door)

Always check the mortice lock is fitted in the middle of the door
if not an offset cylinder is required

- For security reasons it's best where possible to have the Euro cylinder finish flush (flat) with the edge of the escutcheon or backplates of the handles fitted to the door.
- Cylinders that stick out past escutcheons and backplates of handles are much more vulnerable to attack as they can more easily be hammered, twisted or cut during an attack.

Standards This Product Conforms To

- The Eurospec MP10 Euro profile cylinders have been included on a successful fire test to BS EN1634: Part 1 2000 - Assessed for use on 30 minute and 1 hour fire doors FD30 / FD60.
- Police preferred specification - Secured By Design (SBD) approved.
- Tested to BS EN 1303 the British / European standard requirements and testing methods covering cylinders for locks. The MP10 cylinder range have been tested to Key security grade 6 and cylinder security grade 2* (*when used in conjunction with Eurospec security escutcheons.)

Options Available To Order

- **Keyed Alike (KA)** - A batch of cylinders all under the same one key.
- **Under Master Key (UMK)** - A batch of cylinders all under different keys with one master key which operates any of the cylinders.
- Please contact us for more information and lead times and prices for the above options.

Unit Of Sale

- Each - (1x cylinder with 3x keys and 1x fixing screw.)

Products in this set



30695.2 - 10 Pin - Euro Profile Cylinder - Mid Level Security - Key / Turn - 64mm - Tested For Use With FD30 / FD60 Fire Doors - Satin Chrome - Each



30695.3 - 10 Pin - Euro Profile Cylinder - Mid Level Security - Key / Turn - 70mm - Tested For Use With FD30 / FD60 Fire Doors - Satin Chrome - Each



30695.4 - 10 Pin - Euro Profile Cylinder - Mid Level Security - Key / Turn - 80mm - Tested For Use With FD30 / FD60 Fire Doors - Satin Chrome - Each