

D Shaped Pull Handles - Bolt Through Fixing - Satin Stainless Steel - Suitable For Use With FD30 / FD60 Fire Doors

Product Images



Description

- D shape satin stainless steel pull handles
- Ideal for use on for internal doors and external entrance doors
- Bolt through the door design see below diagram



Above diagram shows how a bolt through pull handle is fitted to a wooden door

Alternative Fixing Options:

- Bolt through fixing with cover caps (where no finger plate is wanted on the reverse side) - see related product - **43478**.
- Back to back pair (kit for fitting pull handles to both sides of the door) - see related product - **43480**.
- Face fixing with roses (kit for situations where the handle cannot be fixed from the rear) - see related product - **43484**.


Finish

- Satin stainless steel

Alternative Finishes Available

- Polished stainless steel

Dimensions



Item	Bolt centers (A)	Diameter (B)	Projection (C)
31212.1	150mm	19mm	64mm
31212.2	225mm	19mm	64mm
31212.3	300mm	19mm	64mm
31212.4	450mm	19mm	64mm

31212.5 600mm 19mm 64mm

31212.6 225mm 22mm 85mm

31212.7 300mm 22mm 85mm

31212.8 425mm 22mm 85mm

31212.9 600mm 22mm 85mm

Important Info Before You Buy

- Suitable for wooden doors
- Pull handles are best suited for areas of high or heavy use such as offices, schools and public buildings
- This pull handle is sold individually

Products in this set



31212.1 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 150mm Centres x 19mm Diameter - Satin Stainless Steel - Each



31212.2 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 225mm Centres x 19mm Diameter - Satin Stainless Steel - Each



31212.3 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 300mm Centres x 19mm Diameter - Satin Stainless Steel - Each



31212.4 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 425mm Centres x 19mm Diameter - Satin Stainless Steel - Each



31212.5 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 600mm Centres x 19mm Diameter - Satin Stainless Steel - Each



31212.6 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 225mm Centres x 22mm Diameter - Satin Stainless Steel - Each



31212.7 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 300mm Centres x 22mm Diameter - Satin Stainless Steel - Each



31212.8 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 425mm Centres x 22mm Diameter - Satin Stainless Steel - Each



31212.9 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 600mm Centres x 22mm Diameter - Satin Stainless Steel - Each