

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk


D Shaped Pull Handles - Bolt Through Fixing - Polished Stainless Steel - Suitable For Use With FD30 / FD60 Fire Doors

Product Images



Description

- D shape stainless steel pull handle
- Ideal for use on for internal doors and external entrance doors.
- Bolt through the door design see below diagram



Above diagram shows how a bolt through pull handle is fitted to a wooden door

Alternative Fixing Options:

- Bolt through fixing with cover caps (where no finger plate is wanted on the reverse side) see related product 43479
- Back to back pair (kit for fitting pull handles to both sides of the door) see related product 43481


Finish

• Polished stainless steel

Alternative Finishes Available

Satin stainless steel

Dimensions



Item Bolt centers (A)Diameter (B)Projection (C)

31214.1	150mm	19mm	64mm
31214.2	225mm	19mm	64mm
31214.3	300mm	19mm	64mm
31214.4	450mm	19mm	64mm

31214.5	600mm	19mm	64mm
31214.6	225mm	22mm	85mm
31214.7	300mm	22mm	85mm
31214.8	425mm	22mm	85mm
31214.9	600mm	22mm	85mm

Important Info Before You Buy

- Suitable for wooden doors
- Pull handles are best suited for areas of high or heavy use such as offices, schools and public buildings
- This pull handle is sold individually

Products in this set

×	31214.1 - D Shape Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 150mm Centres x 19mm Diameter - Polished Stainless Steel - Each
×	31214.2 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 225mm Centres x 19mm Diameter - Polished Stainless Steel - Each
×	31214.3 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 300mm Centres x 19mm Diameter - Polished Stainless Steel - Each
×	31214.4 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 425mm Centres x 19mm Diameter - Polished Stainless Steel - Each
×	31214.5 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 600mm Centres x 19mm Diameter - Polished Stainless Steel - Each
×	31214.6 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 225mm Centres x 22mm Diameter - Polished Stainless Steel - Each
×	31214.7 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 300mm Centres x 22mm Diameter - Polished Stainless Steel - Each
×	31214.8 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 425mm Centres x 22mm Diameter - Polished Stainless Steel - Each
×	31214.9 - D Shaped Pull Handle - Bolt Through Fixing - Tested For Use With FD30 / FD60 Fire Doors - 600mm Centres x 22mm Diameter - Polished Stainless Steel - Each