

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk

TS007 1 Star Rated - BS Kitemarked - 6 Pin Anti Snap Euro Profile Single Half Cylinders - High Security Range - Polished Brass (Lacquered) - Suitable For Use With FD30 / FD60 Fire Doors

#### **Product Images**



#### Description

- High security 6 pin Euro profile half (single) cylinders that are BS Kitemarked (KM585549) to TS 007:2012 rated to 1 star.
- Designed for use on external doors including timber and uPVC front and back doors. This range of high security cylinders are designed to help stop against snapping techniques used by burglars.
- These half (single) cylinders are ideal for use on internal cupboard doors where the door only needs to be locked from the outside.
- Commonly used with Euro profile mortice night latches and outside access devices (OAD's).
- Polished brass (shiny finish).
- Euro cylinders are the "barrels" that go through the middle of a door, commonly found of uPVC front doors.
- Excellent high level security range with a high quality architectural finish.

- Police preferred specification Secured By Design (SBD) approved.
- Tested to BS EN 1303 Security grade 2
- Ideal for use on internal or external doors including front doors.
- Supplied with 3 specially manufactured, hard wearing silver nickel keys as standard.

## Operation

- Single (half) cylinder key operation from the outside side of the door only.
- The door can be locked and un-locked by turning the key from the outside only (with single cylinders there is no facility to lock a door from the inside).
- Key differed if ordering more than one, the cylinders will come with different keys.
- Suitable for use on wooden, UPVC and metal doors.
- Must be used in conjunction with some form of Euro profile mortice lock or multi-point locking system (sold separately).

### **Security Level**

- Excellent high level security with 6 pins and anti-snap body.
- Tested to BS EN 1303 Grade 2.
- BS rated meets the new Technical standard TS 007:2012 1 star rated.
- BS Kitemarked number KM 585549.
- Police preferred specification Secured By Design (SBD) approved.

## Anti-snap design with the following features

- Snap off front section via (sacrificial cut). If an attempt is made to snap the cylinder, it will break in a pre-designed position which helps prevent burglars from manipulating the cam in the middle of the cylinder.
- 6 Hardened steel Anti-Drill pins, plugs and disc.
- Anti-plug pull feature.
- Anti-twist.
- Anti-pick.
- Anti-bump.
- Suitable for use on internal or external doors including front doors where a high level of security is required.

## Finish


• Polished brass - (shiny finish.)

# **Alternative Finishes Available**

- Polished chrome
- Satin chrome

### Dimensions

• Equal cylinders (each side of the cam is the same size.)



All measurements in mm

Equal cylinders for use with timber doors or doors with a mortice lock fitted in the middle of the door.


Item Code Overall Length (A)External Side (B)Internal Side (C)Anti-Snap Section

31248.2 50mm 40mm 10mm 13mm

• To determine out the length of cylinder you require you need to add together

 $\circ~$  The thickness of the door. (D) on the below diagram.

 $\circ~$  Plus the thickness of the escutcheon / backplate on each side of the door. (E) on the diagram below.



- For security reasons it's best where possible to have the Euro cylinder finish flush (flat) with the edge of the escutcheon or backplates of the handles fitted to the door.
- Cylinders that stick out past escutcheons and backplates of handles are much more vulnerable to attack as they can more easily be hammered, twisted or cut during an attack.

## **Standards This Product Conforms To**

- The Euro profile cylinders have been included on a successful fire test to BS EN1634: Part 1 2000 Assessed for use on 30 minute and 1 hour fire doors FD30 / FD60.
- Police preferred specification Secured By Design (SBD) approved.

- Tested to BS EN 1303 the British / European standard requirements and testing methods covering cylinders for locks. This cylinder range has been tested to cylinder security grade 2.
- Tested to the Technical standard TS 007:2012 rated to 1 star.
- 3 star rating possible when used in conjunction with 2 star rated furniture.

# **Options Available To Order**

- Keyed Alike (KA) A batch of cylinders all under the same one key.
- Under Master Key (UMK) A batch of cylinders all under different keys with one master key which operates any of the cylinders.
- Please contact us for more information and lead times and prices for the above options.

## **Unit Of Sale**

• Each - (1x cylinder with 3x keys and 1x fixing screw.)

### **Products in this set**

×

31248.2 - TS007 - 1 Star Rated - BS Kitemarked 6 Pin Anti Snap Euro Profile Single Half Cylinder - Key -50mm - Tested For Use With FD30 / FD60 Fire Doors - Polished Brass (Lacquered) - Each