


Husky 25 - Folding Door Gear System For Bi-Folding Medium Weight 25kg Internal Doors Up To 44mm Thick

Product Images



Description

- The Husky 25 Folding door system provides a simple and flexible solution for both light and medium weight residential Bifolding doors and room dividers.

- Designed for use with internal timber doors.
- The Henderson Husky Folding 25 can support doors of up to 25kg in weight and 600mm wide without a floor channel. Its concealed fixings and robust floor gear allow the partitions to be neatly stacked to one side of the opening.
- Silent and easy to fix with attractive aluminium top track.
- Supplied with zinc plated hinges as standard, alternative finishes can be purchased separately.

Kits Available To Suit Two Leaf Bi-Folding Door Systems

Two Door System




Kits Available To Suit Four Door Bi-Folding Door Systems

- Please note the 4 door kit will only allow for all 4 doors to fold in one direction (as shown in the diagram below).
- If you require 2 doors to fold to the left and 2 doors to fold to the right please contact us as additional items will need to be purchased.


Four Door System



Track Lengths Available




Item Code	Overall Track Length (L)	To Suit No. Of Door Leafs	Max Leaf Width (LW)	Max Door Weight	Min Door Thickness (T)	Max Door Thickness (T)
31280.1	1200mm	2	600mm	25kg	20mm	44mm
31280.2	2400mm	4	600mm	25kg	20mm	44mm



Fixing Options

- This folding door kit can be ceiling / soffit mounted or face fixed to a wall.



Items Included Within The Henderson Husky 25 Folding Door Kit

- Top track
- Top and bottom pivots for fixing into the end panel
- 4 Wheeled adjustable nylon hangers
- Zinc plated hinges
- Adjustable bottom pivot assembly

Products in this set



31280.1 - Bi-Folding Door Gear For 25kg Internal Doors - Widths Up To 600mm - Track Length 1200mm - 2 Door Leafs



31280.2 - Bi-Folding Door Gear For 25kg Internal Doors - Widths Up To 600mm - Track Length 2400mm - 4 Door Leafs