

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk VAT No: GB232661872 Company No: 00384076

# Architectural Quality Euro Profile Mortice Dead Lock Case - CE / UKCA Marked - Fire Rated - Certifire Approved - Polished Brass PVD Plated

#### **Product Images**





#### **Description**

- Architectural quality Euro profile mortice dead lock case from the Eurospec E\*S Easi-T range.
- PVD brass finish.
- For use on doors need to be locked via a Euro profile cylinder.
- $\bullet \;\;$  Must be used in conjunction a Euro cylinder.
- Comes supplied with a PVD brass (shiny finish) forend and frame mounted strike plate including black plastic back box.

## **Operation**

• Deadbolt is locked and un-locked via a Euro profile cylinder (sold separately).

### **Features**

- Solid brass deadbolt with anti-saw rollers.
- Medium to heavy weight springing.
- Bolt through facility for bolt together fixing escutcheons at 38mm centres.

## **Security Level**

- Medium security architectural range.
- Suitable for use on internal doors in residential, commercial or public buildings.

#### **Finish**


PVD brass

## **Alternative Finishes Available**

- Polished stainless steel.
- Satin stainless steel.
- Florentine bronze.

### **Dimensions**

- Available in two sizes
- 64mm case depth (44mm backset).
- 76mm case depth (57mm backset).



Item Code	Lock Case Depth (A)	Backset To Keyhole (B)
EDS5325PVD	64mm	44mm
EDS5330PVD	76mm	57mm

### **Standards This Product Conforms To**

- Lock case tested and passed to BS EN 12209. The British / European standard requirements and test methods covering locks and latches. Classification number **3H810F2BA00**.
- Tested and passed to BS EN 1634 the British / European standard for determining the fire resistance of door and shutter assemblies including hardware. Assessed for use on 30 minute and 1 hour timber fire doors FD30 / FD60.- Intumescent lock case liners required (sold separately).
- Certifire approved.
- CE Marked / UKCA Marked.
- Declaration of performance (DoP) please see the additional information tab to download the certificate.

## **Options Available To Order**

- This lock is also available to order with radius (rounded shape) forend and strike plates. Please contact us for lead times and prices.
- Intumescent sheets and lock case liners are available. Please see our intumescent fire rated products category for details.

#### Rebate Kit For Double Rebated Doors

• ARD5205PVD - 13mm PVD brass rebate kit for use with Eurospec architectural dead locks.

#### **Unit Of Sale**

• Each - (1 x lock case supplied with forend, strike plate and plastic back box).

#### Products in this set



40682.1 - Architectural Quality Euro Profile Dead Lock Case - CE / UKCA Marked - Fire Rated - Certifire Approved - 64mm Case Depth - (44mm Backset) - Polished Brass PVD Plated



40682.2 - Architectural Quality Euro Profile Dead Lock Case - CE / UKCA Marked - Fire Rated - Certifire Approved - 76mm Case Depth - (57mm Backset) - Polished Brass PVD Plated