

Flex Meadow Harlow, Essex CM19 5SR

G Johns & Sons Ltd www.gjohns.co.uk
Unit D Westside Business 020 8360 7771
Centre sales@gjohns.co.uk

VAT No: GB232661872 Company No: 00384076



Architectural Quality 3 Lever Mortice Dead Lock - CE / UKCA Marked - Fire Rated - Certifire Approved - Polished Brass PVD Plated

Product Images





Description

- Architectural quality 3 lever mortice dead lock.
- PVD brass finish.
- For use on internal doors and cupboards that need to be locked via a key.
- Comes supplied with a PVD brass forend and frame mounted strike plate including black plastic back box.

Operation

• Deadbolt is locked and un-locked via a key.

Features

- Solid brass deadbolt with anti-saw rollers.
- Medium to heavy weight springing.
- Supplied with 2 keys.

Security Level


- Medium security architectural range.
- Suitable for use on internal doors in residential, commercial or public buildings.

Finish

PVD brass.

Dimensions

• 76mm case depth (57mm backset).



Item Code	Lock Case Depth (A)	Backset To Keyhole (B)
LDS5330PVD	76mm	57mm

Standards This Product Conforms To

- Lock case tested and passed to BS EN 12209. The British / European standard requirements and test methods covering locks and latches. Classification number **3H810F2KD0A.**
- Tested and passed to BS EN 1634 the British / European standard for determining the fire resistance of door and shutter assemblies including hardware. Assessed for use on 30 minute and 1 hour timber fire doors FD30 / FD60.- Intumescent lock case liners required (sold separately).
- Certifire approved.
- CE Marked / UKCA Marked.
- Declaration of performance (DoP) please see the additional information tab to download the certificate.

Options Available To Order

- This lock is also available to order with radius (rounded shape) forend and strike plates. Please contact us for lead times and prices.
- Intumescent sheets and lock case liners are available. Please see our intumescent fire rated products category for details.

Rebate Kit For Double Rebated Doors

• ARD5205PVD - 13mm PVD brass rebate kit for use with Eurospec architectural dead locks.

Unit Of Sale

• Each - (1 x lock case supplied with forend, strike plate and plastic back box).

Products in this set



40689.2 - 3 Lever Mortice Dead Lock - CE / UKCA Marked - Fire Rated - Certifire Approved - 76mm Case Depth - (57mm Backset) - Polished Brass PVD Plated