

G Johns & Sons Ltd Unit D Westside Business Centre Flex Meadow Harlow, Essex CM19 5SR www.gjohns.co.uk 020 8360 7771 sales@gjohns.co.uk

Architectural Quality 3 Lever Mortice Dead Lock - CE / UKCA Marked - Fire Rated - Certifire Approved - Polished Stainless Steel

Product Images



Description

- Architectural quality 3 lever mortice dead lock from the Eurospec E*S Easi-T range.
- Polished stainless steel finish.
- For use on internal doors and cupboards that need to be locked via a key.
- Comes supplied with a polished stainless steel (shiny finish) forend and frame mounted strike plate including black plastic back box.

Operation

• Deadbolt is locked and un-locked via a key.

Features

- Solid brass deadbolt with anti-saw rollers.
- Medium to heavy weight springing.
- Supplied with 2 keys.

Security Level

- Medium security architectural range.
- Suitable for use on internal doors in residential, commercial or public buildings.

Finish


• Polished stainless steel - (shiny finish).

Alternative Finishes Available

- Satin stainless steel.
- PVD Brass
- Florentine bronze.

Dimensions

- Available in two sizes
- 64mm case depth (44mm backset).
- 76mm case depth (57mm backset).



ltem Code	Lock Case Depth (A)	Backset To Keyhole (B)
LDS5325/FSF5007BSS	64mm	44mm
LDS5330/FSF5007BSS	76mm	57mm

Standards This Product Conforms To

- Lock case tested and passed to BS EN 12209. The British / European standard requirements and test methods covering locks and latches. Classification number **3H810F2KDOA**.
- Tested and passed to BS EN 1634 the British / European standard for determining the fire resistance of door and shutter assemblies including hardware. Assessed for use on 30 minute and 1 hour timber fire doors FD30 / FD60.- Intumescent lock case liners required (sold separately).
- Certifire approved.
- CE Marked / UKCA Marked.
- Declaration of performance (DoP) please see the additional information tab to download the certificate.

Options Available To Order

- This lock is also available to order with radius (rounded shape) forend and strike plates. Please contact us for lead times and prices.
- Intumescent sheets and lock case liners are available. Please see our intumescent fire rated products category for details.

Rebate Kit For Double Rebated Doors

- ARD5205SSS 13mm satin stainless steel rebate kit for use with Eurospec architectural dead locks.
- Please note by using the above rebate kit the forend and strike plate of the lock will be a satin (brushed) stainless steel finish.

Unit Of Sale

• Each - (1 x lock case supplied with forend, strike plate and plastic back box).

Products in this set

×	40690.1 - 3 Lever Mortice Dead Lock - CE / UKCA Marked - Fire Rated - Certifire Approved - 64mm Case Depth - (44mm Backset) - Polished Stainless Steel
×	40690.2 - 3 Lever Mortice Dead Lock - CE / UKCA Marked - Fire Rated - Certifire Approved - 76mm Case Depth - (57mm Backset) - Polished Stainless Steel